



मध्यपुर थिमि नगरपालिका
नगर कार्यपालिकाको कार्यालय, थिमि, भक्तपुर
प्रदेश नं ३, नेपाल



Electrical Works को निर्माण सामग्रीहरूको दर(रेट)
आ.ब.०७९/०८०

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.भ.क. (VAT) बाहेक (रु.) को दर (रत)			कैफियत
			आ.व. २०७७/७८	आ.व. २०७८/०७९	आ.व. २०७९/०८०	
17	6/13 Amp , Power sockets with switch , Indicator	"	२७१.००	२७१.००	२७१.००	
18	20 A D.P. switch with fuse & Indicator Surface Mounting	"	३६५.००	३६५.००	३६५.००	
19	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	४०३.००	४०३.००	४०३.००	
20	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	४८८.००	४८८.००	४८८.००	
21	Blanking plate single	"	६४.००	६४.००	६४.००	
22	Telephone socket single	"	१५७.००	१५७.००	१५७.००	
23	Telephone socket Double	"	२५६.००	२५६.००	२५६.००	
24	T.V.antenna single Socket	"	१४६.००	१४६.००	१४६.००	
25	RJ 45 Computer Socket for modem	"	२१२.००	२१२.००	२१२.००	
26	CAT-6 Computer Socket for modem	"	३३१.००	३३१.००	३३१.००	
	Modular Type Switch Socket set NORTH-WEST' NORYSIS' ABB 'SCHNIEDER Legrand or ISI Equivalent		-	-	-	
1	1P – 6A/10A 1 way switch	No.	१४३.००	१४३.००	१४३.००	
2	1P – 16A/20A 1 way switch	"	२३०.००	२३०.००	२३०.००	
3	1P – 25A 1 way switch	"	३३६.००	३३६.००	३३६.००	
4	1P – 6A/10A 2 way switch	"	१७२.००	१७२.००	१७२.००	
5	1P – 16A/20A 2 way switch	"	२६१.००	२६१.००	२६१.००	
6	1P – 6A push button	"	१९०.००	१९०.००	१९०.००	
7	1 gang blanking module	"	४४.००	४४.००	४४.००	
8	2 gang blanking module	"	८९.००	८९.००	८९.००	
9	FAN REGULATOR / DIMMER		-	-	-	
10	Step type fan regulator	No.	६५७.००	६५७.००	६५७.००	
11	60 – 500 W dimmer	"	८२१.००	८२१.००	८२१.००	
12	1000 W dimmer	"	१,५७०.००	१,५७०.००	१,५७०.००	
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS		-	-	-	
13	6A – multi socket 5 pin	No.	२४७.००	२४७.००	२४७.००	
14	6/16A twin socket 3 pin (flushed)	"	३४२.००	३४२.००	३४२.००	
15	6/16A twin socket 3 pin (projected)	"	३४२.००	३४२.००	३४२.००	
16	25A 3 pin socket	"	४१३.००	४१३.००	४१३.००	
17	13A 3 pin socket	"	२७८.००	२७८.००	२७८.००	
18	RJ 11 telephone jack	"	१६४.००	१६४.००	१६४.००	
19	RJ 45 cat.6e computer socket	"	५७४.००	५७४.००	५७४.००	
20	TV socket	"	१६६.००	१६६.००	१६६.००	
	HOSPITALITY RANGE		-	-	-	
21	250V/110V shaver socket	No.	४,४८६.००	४,४८६.००	४,४८६.००	
22	Indicator (DO NOT DISTUURB)	"	१८५.००	१८५.००	१८५.००	
23	LED yellow night lamp	"	५७७.००	५७७.००	५७७.००	
24	LED Blue night lamp	"	५७७.००	५७७.००	५७७.००	
	FRONT PLATE (COMPATIBLE TO MARKET BOXES)		-	-	-	
	(White)		-	-	-	
25	1 module front plate	No.	७४.००	७४.००	७४.००	
26	2 module front plate	"	७९.००	७९.००	७९.००	
27	3 module front plate	"	८७.००	८७.००	८७.००	

सि.नं.	विधान सामग्रीहरूको विवरण	एकाई	मु.भ.क. (VAT) माहिरक (रु.) को मा. (रु.)			वै.कि.मत
			मा.भ. १०००/०००	मा.भ. १०००/०००	मा.भ. १०००/०००	
28	4 module front plate	"	९२,००	९२,००	९२,००	
29	6 module front plate	"	१६७,००	१६७,००	१६७,००	
30	8 module front plate(4+4)	"	२२४,००	२२४,००	२२४,००	
31	8 module front plate (Horizontal)	"	१७९,००	१७९,००	१७९,००	
32	12 module front plate	"	२६८,००	२६८,००	२६८,००	
33	18 module front plate	"	३६१,००	३६१,००	३६१,००	
2.2	Modular Type Switch Socket KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent		-	-	-	
	Seperate Module for Modular Switch & Socket		-	-	-	
1	1P – 6A/10A 1 way switch	No.	९०,००	९०,००	९०,००	
3	1P – 16A/20A 1 way switch	"	१४८,००	१४८,००	१४८,००	
7	1P – 6A/10A 2 way switch	"	१३८,००	१३८,००	१३८,००	
8	1P – 16A/20A 2 way switch	"	१८०,००	१८०,००	१८०,००	
9	1P – 6A push button	"	१३८,००	१३८,००	१३८,००	
11	1 gang blanking module	"	४२,००	४२,००	४२,००	
12	2 gang blanking module	"	८०,००	८०,००	८०,००	
	FAN REGULATOR / DIMMER		-	-	-	
13	Step type fan regulator	No.	७२१,००	७२१,००	७२१,००	
14	60 – 500 W dimmer	"	६१४,००	६१४,००	६१४,००	
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS		-	-	-	
16	6A – multi socket 5 pin	No.	१९१,००	१९१,००	१९१,००	
17	6/16A twin socket 3 pin (flushed)	"	२९७,००	२९७,००	२९७,००	
18	6/16A twin socket 3 pin (projected)	"	२९७,००	२९७,००	२९७,००	
20	13A 3 pin socket	"	१९१,००	१९१,००	१९१,००	
21	RJ 11 telephone jack	"	१४८,००	१४८,००	१४८,००	
22	RJ 45 cat.6e computer socket	"	२४४,००	२४४,००	२४४,००	
23	TV socket	"	१४८,००	१४८,००	१४८,००	
40	1 module front plate	No.	११६,००	११६,००	११६,००	
41	2 module front plate	"	११६,००	११६,००	११६,००	
42	3 module front plate	"	१४२,००	१४२,००	१४२,००	
43	4 module front plate	"	१७०,००	१७०,००	१७०,००	
44	6 module front plate	"	२३४,००	२३४,००	२३४,००	
45	8 module front plate(4+4)	"	३१४,००	३१४,००	३१४,००	
46	8 module front plate (Horizontal)	"	३२२,००	३२२,००	३२२,००	
47	12 module front plate	"	३७४,००	३७४,००	३७४,००	
	18 module front plate	"	४६७,००	४६७,००	४६७,००	
	Flush mounting galvanized Metal box for modular type switch & socket		-	-	-	
1	1module metal box having L x B x Depth =(78x78x45)mm	सेट	४४,००	४४,००	४४,००	
2	2 module " " " =(78x78x45)mm	"	४४,००	४४,००	४४,००	
3	3 gang " " " =(78x100x45)mm	"	४८,००	४८,००	४८,००	
4	4 gang " " " =(78x140x50)mm	"	७०,००	७०,००	७०,००	
5	5 gang " " " =(78x200x50)mm	"	१३८,००	१३८,००	१३८,००	

[Handwritten signatures and initials]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	गु.म.क. (VAT) बाहेक (रु.) को दर (रु.)			वै.म.म.
			मा.म. २०७७/७८	मा.म. २०७८/०७९	मा.म. २०७९/०८०	
xiv	Chandlers 6-8 lamp Medium	"	१५,५४३.००	१५,५४३.००	१५,५४३.००	
xv	Chandlers 3-5 lamp Medium	"	११,०८७.००	११,०८७.००	११,०८७.००	
xvi	Mirror Light Euro Light Wipro WRF21111	"	४७८.००	४७८.००	४७८.००	
xvii	Picture light Euro Light POO2	"	६९०.००	६९०.००	६९०.००	
xviii	Wall spot Light E27 60W Euro or eqv.	"	३७२.००	३७२.००	३७२.००	
xix	Exit Light safety sign(8.24)W Make Samcon	सेट	८४९.००	८४९.००	८४९.००	
	Post top Lanterns					
xx	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	"	२,६५२.००	२,६५२.००	२,६५२.००	
xxi	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	३,१८३.००	३,१८३.००	३,१८३.००	
xxii	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	"	३,५८०.००	३,५८०.००	३,५८०.००	
xxiii	8" Globe type Post top Lamp complete set	"	१,४५८.००	१,४५८.००	१,४५८.००	
xxiv	10" Globe type Post top Lamp complete set	"	२,७८५.००	२,७८५.००	२,७८५.००	
	Roadway light luminaires Wipro, Philips , Legero or Equivalent					
xxv	1 x 36 W FTL street light fixture with acrylic diffuser complete set	"	२,७१६.००	२,७१६.००	२,७१६.००	
xxvi	2 x 36 W FTL street light fixture with acrylic diffuser complete set	"	३,९८४.००	३,९८४.००	३,९८४.००	
xxvii	300/500 watt halogen weather proof FLOOD LIGHT with glass cover Complete set	"	१,५९१.००	१,५९१.००	१,५९१.००	
xxviii	1000 watt halogen weather proof flood light with glass cover Complete set	"	३,१८३.००	३,१८३.००	३,१८३.००	
xxix	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	९,५४८.००	९,५४८.००	९,५४८.००	
xxx	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	"	११,७२३.००	११,७२३.००	११,७२३.००	
xxxi	Single Piece deep drawn aluminum POT optics road light luminaires with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	५,४९९.००	५,४९९.००	५,४९९.००	
xxxii	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	२,३३९.००	२,३३९.००	२,३३९.००	
xxxiii	1X125W HPSV street light fixture with acrylic diffuser	"	५,२७३.००	५,२७३.००	५,२७३.००	
xxxiv	2X60/100W GLS aviation light fixture all complete set	"	५,८५७.००	५,८५७.००	५,८५७.००	
	CEILING FANS & EXHAUST Fans, BAJAJ/KHAITAN/ORIENT/CROMPTON/POWERPA CK C/G . Almonard or equivalent					
a	36" size ceiling Fan	गोटा	२,२२८.००	२,२२८.००	२,२२८.००	
b	42" size " "	"	२,३३४.००	२,३३४.००	२,३३४.००	
c	48" size " "	"	२,३८८.००	२,३८८.००	२,३८८.००	
d	56" size " "	"	२,६५२.००	२,६५२.००	२,६५२.००	
e	6" Exhaust Fan	"	१,५३९.००	१,५३९.००	१,५३९.००	
f	9" Exhaust Fan	"	१,८५७.००	१,८५७.००	१,८५७.००	
g	16" size wall fan	"	२,९९८.००	२,९९८.००	२,९९८.००	
h	12" size exhaust fan	"	२,६५२.००	२,६५२.००	२,६५२.००	
	BELL INDICATOR					
a	4 way bell indicator with plate	सेट	१,२९३.००	१,२९३.००	१,२९३.००	

[Handwritten signatures and marks]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.भ.क. (VAT) बाहेक (रु.) को दर (रु.)			वैफियत
			मा.भ. २०७७/७८	मा.भ. २०७८/०७९	मा.भ. २०७९/०८०	
c	1x20 watt FTL (Mirrolta) WRF 20120	"	१०२.००	१०२.००	१०२.००	
d	1x40 watt FTL with attractive & functional decorative battens WRF20140	"	१,०५१.००	१,०५१.००	१,०५१.००	
e	1x40 watt FTL box fittings WIF 14140	"	१,१९४.००	१,१९४.००	१,१९४.००	
f	2x40 watt FTL box fittings WIF 14240	"	१,८०४.००	१,८०४.००	१,८०४.००	
g	1x40 watt FTL Industrial channel WIF 36140	"	१,८३४.००	१,८३४.००	१,८३४.००	
h	2x40 watt FTL Industrial channel WIF 36240	"	२,३५६.००	२,३५६.००	२,३५६.००	
i	1x40 watt FTL, opalite with opal Arcylic dissuser . WCF51140	"	१,९९०.००	१,९९०.००	१,९९०.००	
j	2x40 watt FTL, oplite with opal Arcylic dissuser WCF51240	"	३,९८३.००	३,९८३.००	३,९८३.००	
k	4x20 watt FTL, oplite WCF 93418	"	४,४७२.००	४,४७२.००	४,४७२.००	
l	4x20 watt FTL mirror optic, surface/recessed mounting WCF93418	"	४,४७२.००	४,४७२.००	४,४७२.००	
m	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting WCF 82136	"	३,६६१.००	३,६६१.००	३,६६१.००	
n	2x40 watt FTL mirror optic, surface/recessed mounting with electronic choke WVP40236	"	४,४४६.००	४,४४६.००	४,४४६.००	
o	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luvver Complete set WVF20414	सेट	९,६६४.००	९,६६४.००	९,६६४.००	
p	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVF 20314	सेट	८,४९२.००	८,४९२.००	८,४९२.००	
	Compact Fluorescent Lamp (CFL) based Luminaries set all complete . PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA ,LEGERO or ISI equivalent .		-	-	-	
q	2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set WCP32218	"	२,७५८.००	२,७५८.००	२,७५८.००	
r	1 x11 W CFL mirror Optic surface/recessed mounting complete set WVP 41111	सेट	१,८८८.००	१,८८८.००	१,८८८.००	
s	2 x11 W CFL mirror Optic Surface mounting complete set WVP41211	सेट	२,३३४.००	२,३३४.००	२,३३४.००	
t	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with luvver Complete set WVP24236	सेट	६,२४९.००	६,२४९.००	६,२४९.००	
u	3x36 W CFL -4 pin low glare fixture with P 5 luvvers & electronic ballast complete set WVP 24336	सेट	७,०२९.००	७,०२९.००	७,०२९.००	
v	Recess mounting Direct Indirect LED luninare LM15-321-XXX-60-XX		११,१३९.००	११,१३९.००	११,१३९.००	
w	Recess mounting Direct Indirect LED luninare LM11-291-XXX-57-XX		१४,४८२.००	१४,४८२.००	१४,४८२.००	
x	Recess Surface mounted LED luminate CRCO10R038HP57		१३,७३९.००	१३,७३९.००	१३,७३९.००	
y	Hight efficiency circular LED Down Lighter LD71		३,३४२.००	३,३४२.००	३,३४२.००	
z	Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01		१४,०३८.००	१४,०३८.००	१४,०३८.००	
a	IP20 and IP 65 non intregal flexible LED Strip Light LS 06/26		१,११४.००	१,११४.००	१,११४.००	
b	Circular LED wall/Dome Light suitable for true ceiling LW01		३,३४२.००	३,३४२.००	३,३४२.००	
c	Square LED Wall/Dome light suitable for true ceiling LW02-101-XXX-60-XX		३,३४२.००	३,३४२.००	३,३४२.००	
d	Recess mounted indirect and direct luminaires WVP 64236		६,३१३.००	६,३१३.००	६,३१३.००	
e	2x36 Watt CFL Surface Mirror Optic WVP44236		६,३१३.००	६,३१३.००	६,३१३.००	
20.1	Down Light Fiam Make		-	-	-	

[Handwritten signatures and marks]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.भ.क. (VAT) माहक (रु.) को दर (रिट)			कीफायत
			भा.व. २०७७/७८	भा.व. २०७८/०७९	भा.व. २०७९/०८०	
5.5	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W		२,५२५.००	२,५२५.००	२,५२५.००	
5.6	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP 3W 3C1,000,000		२,५२५.००	२,५२५.००	२,५२५.००	
5.7	LUCIA WHITE OPAL		१,८५७.००	१,८५७.००	१,८५७.००	
5.8	LUCIA BLACK OPAL		१,८५७.००	१,८५७.००	१,८५७.००	
5.9	LUCIA-GD WHITE OPAL		१,८५७.००	१,८५७.००	१,८५७.००	
6	LUCIA-GD BLACK OPAL		१,८५७.००	१,८५७.००	१,८५७.००	
6.1	REMI/LUCIA WHITE OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
6.2	REMI/LUCIA BLACK OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
6.3	REMI/LUCIA-EL WHITE OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
6.4	REMI/LUCIA-EL BLACK OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
6.5	REMI/LUCIA-GD WHITE OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
6.6	REMI/LUCIA-GD BLACK OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
6.7	MADDI BULKHEAD WHITE OPAL		१,८५७.००	१,८५७.००	१,८५७.००	
6.8	MADDI BULKHEAD BLACK OPAL		१,८५७.००	१,८५७.००	१,८५७.००	
6.9	MADDI-VE BULKHEAD WHITE OPAL		२,६००.००	२,६००.००	२,६००.००	
7	MADDI-VE BULKHEAD BLACK OPAL		१,८५७.००	१,८५७.००	१,८५७.००	
7.1	MADDI-HL BULKHEAD WHITE OPAL		१,८५७.००	१,८५७.००	१,८५७.००	
7.2	MADDI-HL BULKHEAD BLACK OPAL		१,८५७.००	१,८५७.००	१,८५७.००	
7.3	REMI/MADDI WHITE OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
7.4	REMI/MADDI BLACK OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
7.5	REMI/MADDI-VE WHITE OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
7.6	REMI/MADDI-VE BLACK OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
7.7	REMI/MADDI-HL WHITE OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
7.8	REMI/MADDI-HL BLACK OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
7.9	GABRI/MADDI 1L BLACK OPAL		७,४२६.००	७,४२६.००	७,४२६.००	
8	MINIGABRI/MADDI 1L BLACK OPAL		६,६८४.००	६,६८४.००	६,६८४.००	
8.1	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL		६,६८४.००	६,६८४.००	६,६८४.००	
8.2	GELMI WHITE OPAL E27		२,९७९.००	२,९७९.००	२,९७९.००	
8.3	GELMI BLACK OPAL E27		२,९७९.००	२,९७९.००	२,९७९.००	
8.4	GELMI-EL WHITE OPAL E27		२,९७९.००	२,९७९.००	२,९७९.००	
8.5	GELMI-EL BLACK OPAL E27		२,९७९.००	२,९७९.००	२,९७९.००	
8.6	DANZI WHITE OPAL E27		२,९७९.००	२,९७९.००	२,९७९.००	
8.7	DANZI BLACK OPAL E27		२,९७९.००	२,९७९.००	२,९७९.००	
8.8	STUCCHI WHITE OPAL E27		३,३४२.००	३,३४२.००	३,३४२.००	
8.9	STUCCHI BLACK OPAL E27		३,३४२.००	३,३४२.००	३,३४२.००	
9	CECCHI WHITE OPAL E27		३,३४२.००	३,३४२.००	३,३४२.००	
9.1	CECCHI BLACK OPAL E27		३,३४२.००	३,३४२.००	३,३४२.००	
9.2	BISSE ANNA BLACK WITH OPAL DIFFUSER		३,७९३.००	३,७९३.००	३,७९३.००	
9.3	MIKROLOT ANNA BLACK W/OPAL DIFFUSER		३,७९३.००	३,७९३.००	३,७९३.००	
9.4	IESSE LANTERN BLACK W/OPAL DIFFUSER		३,३४२.००	३,३४२.००	३,३४२.००	
9.5	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W		७,४२६.००	७,४२६.००	७,४२६.००	
20.2	System Sensor Product (Honeywell)		-	-	-	
1	Photo Electric Smoke Detector		१,९३९.००	१,९३९.००	१,९३९.००	
2	Rate of Rise Heat Detector		१,९३९.००	१,९३९.००	१,९३९.००	

Handwritten signatures and initials at the bottom of the page.

श.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क. (VAT) बाहेक (रु.) को दर (रिट)			कैफियत
			मा.व. २०७७/७८	मा.व. २०७८/०७९	मा.व. २०७९/०८०	
3	Fixed temperature Detector		२,३५६.००	२,३५६.००	२,३५६.००	
4	Base		३८२.००	३८२.००	३८२.००	
5	Conv. MCP, Red, with LED, 470 Ohm, with BB, India		१,५२७.००	१,५२७.००	१,५२७.००	
6	Wall mount Horn+Strobe		४,२४४.००	४,२४४.००	४,२४४.००	
7	Ceiling mount Horn+Strobe		४,२४४.००	४,२४४.००	४,२४४.००	
20.3	Exit Light Samcon make		-	-	-	
1	MODEL SLM 18		१२,७३९.००	१२,७३९.००	१२,७३९.००	
2	MODEL ELS 28		१२,७३९.००	१२,७३९.००	१२,७३९.००	
3	MODEL ETL 210H-4LA		१२,७३९.००	१२,७३९.००	१२,७३९.००	
	LUMINARIES Accessories PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO, OHMS or ISI/CE Eqv.)		-	-	-	
a	500 watt halogen rod	गोटा	२३९.००	२३९.००	२३९.००	
b	1000 watt halogen rod	"	२८६.००	२८६.००	२८६.००	
c	70Watt SON Lamp (Sodium Vapour)	"	८५९.००	८५९.००	८५९.००	
d	150 watt sodium vapour bulb	"	१,३३७.००	१,३३७.००	१,३३७.००	
e	250 watt sodium vapour bulb	"	१,७५१.००	१,७५१.००	१,७५१.००	
f	20-40 watt FTL rod	"	८२.००	८२.००	८२.००	
g	20-40 watt FTL Copper chowk.	"	२६६.००	२६६.००	२६६.००	
h	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	४२४.००	४२४.००	४२४.००	
i	Acrylic cover for 4x20 FTL	"	१,०१९.००	१,०१९.००	१,०१९.००	
j	FTL starter	"	२०.००	२०.००	२०.००	
k	8 W to 11W, C.F.L. Direct fit	"	२३९.००	२३९.००	२३९.००	
l	13 to 22W, C.F.L. Direct fit	"	३०८.००	३०८.००	३०८.००	
m	15-100 watt bulb. (ISI)	गोटा	२७.००	२७.००	२७.००	
n	PL-S 9W/86 (CFL)	"	१७०.००	१७०.००	१७०.००	
o	PL-S 11W/86 (CFL)	"	१८०.००	१८०.००	१८०.००	
p	PL-L 36W/86 (CFL)	"	४३०.००	४३०.००	४३०.००	
q	125W HPL-N (Mercury Vapour)	"	३८२.००	३८२.००	३८२.००	
r	250W HPL-N	"	९०२.००	९०२.००	९०२.००	
	Solar LED bulb		-	-	-	
s	12V/2W LED bulb	"	३७२.००	३७२.००	३७२.००	
t	12V/3W LED bulb	"	४२४.००	४२४.००	४२४.००	
u	12V/4W LED bulb	"	४७८.००	४७८.००	४७८.००	
	COPPER CONDUCTOR / WIRE / CABLE (PER COIL=90 RM) NS marked		-	-	-	
1	1/18 size p.v.c. insulated copper wire/ cable	म्याथल	९७६.००	९७६.००	९७६.००	
2	3/22 " " "	"	१,१६७.००	१,१६७.००	१,१६७.००	
3	3/20 " " "	"	१,८५७.००	१,८५७.००	१,८५७.००	
4	7/22 " " "	"	२,६००.००	२,६००.००	२,६००.००	
5	7/20 " " "	"	४,२४४.००	४,२४४.००	४,२४४.००	
6	7/18 " " "	"	६,६८४.००	६,६८४.००	६,६८४.००	
7	7/16 " " "	"	१३,७९२.००	१३,७९२.००	१३,७९२.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाइ	मु.अ.क. (VAT) माहक (रु.) को दर (रु.)			वै.कि.मत
			मा.न. २०७७/७८	मा.न. २०७८/०७९	मा.न. २०७९/०८०	
8	19/18 " " "	"	१८,५६६.००	१८,५६६.००	१८,५६६.००	
9	19/16 " " "	"	३७,१३२.००	३७,१३२.००	३७,१३२.००	
10	2/20 " " "	"	१,४११.००	१,४११.००	१,४११.००	
11	2/22 " " "	"	९५५.००	९५५.००	९५५.००	
	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.		-	-	-	
1	1.0 mm PVC insulated Copper wire	क्याथन	१,०६१.००	१,०६१.००	१,०६१.००	
2	1.5 mm PVC insulated Copper wire	"	१,६९७.००	१,६९७.००	१,६९७.००	
3	2.5 mm PVC insulated Copper wire	"	२,४९४.००	२,४९४.००	२,४९४.००	
4	4.0 mm PVC insulated Copper wire	"	४,०३१.००	४,०३१.००	४,०३१.००	
5	6.0 mm PVC insulated Copper wire	"	६,३६५.००	६,३६५.००	६,३६५.००	
6	10.0mm PVC insulated Copper wire	"	१०,६०९.००	१०,६०९.००	१०,६०९.००	
	Concentric cable NS marked Eqv.		-	-	-	
1	4mm size concentric cable	र.मी	२४.००	२४.००	२४.००	
2	6mm size " "	र.मी	२७.००	२७.००	२७.००	
3	10mm size concentric cable	र.मी	४०.००	४०.००	४०.००	
4	16mm size " "	र.मी	६९.००	६९.००	६९.००	
5	25mm size " "	र.मी	९२.००	९२.००	९२.००	
6	RG6 Coaxial cable	र.मी	२४.००	२४.००	२४.००	
7	RG59 Coaxial cable	र.मी	२७.००	२७.००	२७.००	
8	UTP cat -5 networking cable	र.मी	२७.००	२७.००	२७.००	
	Telephone Drop wire/pair cable NS marked Eqv.		-	-	-	
1	2/20 Telephone drop wire	क्याथन	१,०१९.००	१,०१९.००	१,०१९.००	
2	2/22 " "	क्याथन	६९०.००	६९०.००	६९०.००	
3	2- pair cable wire (2x2x0.45) mmHeavy	र.मी	१४.००	१४.००	१४.००	
4	3- pair cable wire (3x2x0.45) mm Heavy	"	२१.००	२१.००	२१.००	
5	5- pair cable wire (5x2x0.45) mm Heavy	"	३३.००	३३.००	३३.००	
6	10- pair cable wire (10x2x0.45) mm Heavy	"	६४.००	६४.००	६४.००	
7	15- pair cable wire (15x2x0.45) mm Heavy	"	९४.००	९४.००	९४.००	
8	20- pair cable wire (20x2x0.45) mm Heavy	"	१२३.००	१२३.००	१२३.००	
9	1mm drop wire	"	१०.००	१०.००	१०.००	
10	1-4 Line EPABX, with 1set programmable master telephone set of corresponding brand Pansonic, Creative, Matrix Or Eqv.	सेट	७,८७७.००	७,८७७.००	७,८७७.००	
11	2-6 Line EPABX	"	१८,९६३.००	१८,९६३.००	१८,९६३.००	
12	3-8 Line EPABX	"	२१,१५४.००	२१,१५४.००	२१,१५४.००	
13	4-12 Line EPABX	"	३७,९२८.००	३७,९२८.००	३७,९२८.००	
14	6-16 Line EPABX	"	५१,०५६.००	५१,०५६.००	५१,०५६.००	
15	8-24 Line EPABX	"	८७,५२४.००	८७,५२४.००	८७,५२४.००	
16	8-48 Line EPABX	"	९३,६५१.००	९३,६५१.००	९३,६५१.००	
17	8-72 Line EPABX	"	१००,२०७.००	१००,२०७.००	१००,२०७.००	
	Other Accessories		-	-	-	
1	6" size Dome light glass	गोटा	६७.००	६७.००	६७.००	
2	8" size " " "	"	७८.००	७८.००	७८.००	
3	wall bracket glass	"	६७.००	६७.००	६७.००	

[Handwritten signatures and marks]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	गु.अ.क. (VAT) बाहेक (रु.) को दर (रु.)			कैफियत
			आ.व. २०७७/७८	आ.व. २०७८/०७९	आ.व. २०७९/०८०	
a	16 sq mm cable shoe	गोटा	६६.००	६६.००	६६.००	
b	25 sq mm " "	"	८५.००	८५.००	८५.००	
c	35 sq mm " "	"	६६.००	६६.००	६६.००	
d	50 sq mm " "	"	७७.००	७७.००	७७.००	
e	70 sq mm " "	"	९५.००	९५.००	९५.००	
f	95 sq mm " "	"	१४७.००	१४७.००	१४७.००	
g	150 sq mm " "	"	२२१.००	२२१.००	२२१.००	
h	195 sq mm " "	"	३१४.००	३१४.००	३१४.००	
i	250 sq mm " "	"	५००.००	५००.००	५००.००	
	Copper Conductor Armoured Power Cables NS marked or eqv.		-	-	-	
	a) 2 Core		-	-	-	
1	1.5 mm2	र.मी	१०६.००	१०६.००	१०६.००	
2	2.5 mm2	"	१४३.००	१४३.००	१४३.००	
3	4.0 mm2	"	१९७.००	१९७.००	१९७.००	
4	6.0 mm2	"	२५४.००	२५४.००	२५४.००	
5	10.0 mm2	"	३८२.००	३८२.००	३८२.००	
6	16.0 mm2	"	५०९.००	५०९.००	५०९.००	
7	25.0 mm2	"	७४३.००	७४३.००	७४३.००	
8	35.0 mm2	"	९८७.००	९८७.००	९८७.००	
9	50.0 mm2	"	१,३७९.००	१,३७९.००	१,३७९.००	
	b) 3 Core		-	-	-	
1	1.5 mm2		१३३.००	१३३.००	१३३.००	
2	2.5 mm2	"	१८५.००	१८५.००	१८५.००	
3	4.0 mm2	"	२६६.००	२६६.००	२६६.००	
4	6.0 mm2	"	३४०.००	३४०.००	३४०.००	
5	10.0 mm2	"	५०९.००	५०९.००	५०९.००	
6	16.0 mm2	"	७११.००	७११.००	७११.००	
7	25.0 mm2	"	१,०८३.००	१,०८३.००	१,०८३.००	
8	35.0 mm2	"	१,४३३.००	१,४३३.००	१,४३३.००	
9	50.0 mm2 Copper Conductor Armoured	"	१,९६३.००	१,९६३.००	१,९६३.००	
10	70.0 mm2	"	२,७५८.००	२,७५८.००	२,७५८.००	
11	95.0 mm2	"	३,७१३.००	३,७१३.००	३,७१३.००	
12	120.0 mm2	"	४,६६८.००	४,६६८.००	४,६६८.००	
13	150.0 mm2	"	५,७२९.००	५,७२९.००	५,७२९.००	
14	c) 3.5 Core		-	-	-	
1	25.0 mm2	र.मी	१,२९५.००	१,२९५.००	१,२९५.००	
2	35.0 mm2	"	१,६४५.००	१,६४५.००	१,६४५.००	
3	50.0 mm2	"	२,३१२.००	२,३१२.००	२,३१२.००	
4	70.0 mm2	"	३,१८३.००	३,१८३.००	३,१८३.००	
5	95.0 mm2	"	४,२४४.००	४,२४४.००	४,२४४.००	
6	120.0 mm2	"	५,५७०.००	५,५७०.००	५,५७०.००	
7	150.0 mm2	"	६,५७८.००	६,५७८.००	६,५७८.००	
8	185.0 mm2	"	८,१६९.००	८,१६९.००	८,१६९.००	
9	240.0 mm2	"	१०,७१५.००	१०,७१५.००	१०,७१५.००	

Handwritten signatures and initials are present below the table.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.भ.क. (VAT) माहक (रु) को दर (रु)			वैधिमयत
			मा.भ. २०७७/७८	मा.भ. २०७८/०७९	मा.भ. २०७९/०८०	
10	300.0 mm2	"	१३,५८०.००	१३,५८०.००	१३,५८०.००	
11	400.0 mm2	"	१७,८२३.००	१७,८२३.००	१७,८२३.००	
	d) 4 Core					
1	1.5 mm ²	र.मी	१६०.००	१६०.००	१६०.००	
2	2.5 mm2	"	२२८.००	२२८.००	२२८.००	
3	4.0 mm2	"	३२९.००	३२९.००	३२९.००	
4	6.0 mm2	"	४२४.००	४२४.००	४२४.००	
5	10.0 mm2	"	६३७.००	६३७.००	६३७.००	
6	16.0 mm2	"	९२८.००	९२८.००	९२८.००	
7	25.0 mm2	"	१,३७९.००	१,३७९.००	१,३७९.००	
8	35.0 mm2	"	१,८५७.००	१,८५७.००	१,८५७.००	
9	50.0 mm2	"	२,६५२.००	२,६५२.००	२,६५२.००	
10	70.0 mm2	"	३,६०७.००	३,६०७.००	३,६०७.००	
11	95.0 mm ² Copper Conductor Armoured	"	४,८८०.००	४,८८०.००	४,८८०.००	
12	120.0 mm ²	"	६,१५३.००	६,१५३.००	६,१५३.००	
13	150.0 mm ²	"	७,६३८.००	७,६३८.००	७,६३८.००	
14	185.0 mm ²	"	९,३३६.००	९,३३६.००	९,३३६.००	
15	240.0 mm ²	"	१२,७३१.००	१२,७३१.००	१२,७३१.००	
16	300.0 mm ²	"	१५,२७७.००	१५,२७७.००	१५,२७७.००	
17	400.0 mm ²	"	२०,६८८.००	२०,६८८.००	२०,६८८.००	
	Copper Conductor Unarmoured Power Cables NS marked or Eqv.					
	a) 1-core					
1	10 sq. mm.	र.मी	४४.००	४४.००	४४.००	
2	16 sq. mm.	"	६७.००	६७.००	६७.००	
3	25 sq. mm.	"	७८.००	७८.००	७८.००	
4	35 sq. mm.	"	९४.००	९४.००	९४.००	
5	50 sq. mm.	"	१२५.००	१२५.००	१२५.००	
6	70 sq. mm.	"	१६३.००	१६३.००	१६३.००	
7	95 sq. mm.	"	२२०.००	२२०.००	२२०.००	
8	120 sq. mm.	"	२६८.००	२६८.००	२६८.००	
9	150 sq. mm.	"	३१७.००	३१७.००	३१७.००	
	b) 2- core					
1	1.5 sq.mm Copper Conductor Unarmoured	र.मी	७४.००	७४.००	७४.००	
2	2.5 sq.mm	"	१०६.००	१०६.००	१०६.००	
3	4 sq.mm	"	१४८.००	१४८.००	१४८.००	
4	6 sq.mm	"	२०२.००	२०२.००	२०२.००	
5	10 sq.mm	"	३१८.००	३१८.००	३१८.००	
6	16 sq.mm	"	४४०.००	४४०.००	४४०.००	
7	25 sq.mm	"	६७९.००	६७९.००	६७९.००	
8	35 sq.mm	"	९२३.००	९२३.००	९२३.००	
9	50 sq.mm	"	१,२७३.००	१,२७३.००	१,२७३.००	
10	70 sq.mm	"	१,२७३.००	१,२७३.००	१,२७३.००	
11	95 sq.mm	"	२,३८८.००	२,३८८.००	२,३८८.००	
12	120 sq.mm	"	३,१३०.००	३,१३०.००	३,१३०.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. (VAT) बाहेक (र.) को दर (रु.)			कैफियत
			आ.व. २०७७/७८	आ.व. २०७८/०७९	आ.व. २०७९/०८०	
1	1.5 sq.mm	र.मी				
2	2.5 sq.mm	र.मी	९६.००	९६.००	९६.००	
3	4 sq.mm	"	१२२.००	१२२.००	१२२.००	
4	6 sq.mm	"	१३८.००	१३८.००	१३८.००	
5	10 sq.mm	"	१६५.००	१६५.००	१६५.००	
6	16 sq.mm	"	१८५.००	१८५.००	१८५.००	
7	25 sq.mm	"	२२२.००	२२२.००	२२२.००	
8	35 sq.mm	"	२५४.००	२५४.००	२५४.००	
9	50 sq.mm	"	३२९.००	३२९.००	३२९.००	
10	70 sq.mm	"	४०९.००	४०९.००	४०९.००	
11	95 sq.mm	"	५२०.००	५२०.००	५२०.००	
	b) 3-core		-	-	-	
1	2.5 sq.mm. Aluminum conductor Armoured	र.मी	१११.००	१११.००	१११.००	
2	4 sq.mm	"	१३८.००	१३८.००	१३८.००	
3	6 sq.mm	"	१५३.००	१५३.००	१५३.००	
4	10 sq.mm	"	१८५.००	१८५.००	१८५.००	
5	16 sq.mm	"	२१२.००	२१२.००	२१२.००	
6	25 sq.mm Aluminum conductor Armoured	"	२८६.००	२८६.००	२८६.००	
7	35 sq.mm	"	३४५.००	३४५.००	३४५.००	
8	50 sq.mm	"	४४०.००	४४०.००	४४०.००	
9	70 sq.mm	"	५५७.००	५५७.००	५५७.००	
10	95 sq.mm	"	५०९.००	५०९.००	५०९.००	
11	120 sq.mm	"	८५९.००	८५९.००	८५९.००	
12	150 sq.mm	"	१,०३४.००	१,०३४.००	१,०३४.००	
13	185 sq.mm	"	१,२७३.००	१,२७३.००	१,२७३.००	
14	240 sq.mm	"	१,५५९.००	१,५५९.००	१,५५९.००	
15	300 sq.mm	"	१,९१०.००	१,९१०.००	१,९१०.००	
16	400 sq.mm	"	२,३८८.००	२,३८८.००	२,३८८.००	
	c) 3.5 core		-	-	-	
1	25 sq.mm.	र.मी	३२९.००	३२९.००	३२९.००	
2	35 sq.mm	"	३८२.००	३८२.००	३८२.००	
3	50 sq.mm	"	५०४.००	५०४.००	५०४.००	
4	70 sq.mm	"	६४७.००	६४७.००	६४७.००	
5	95 sq.mm	"	८२७.००	८२७.००	८२७.००	
6	120 sq.mm Aluminum conductor Armoured	"	१,००८.००	१,००८.००	१,००८.००	
7	150 sq.mm	र.मी	१,२०९.००	१,२०९.००	१,२०९.००	
8	185 sq.mm	"	१,४६४.००	१,४६४.००	१,४६४.००	
9	240 sq.mm	"	१,८२५.००	१,८२५.००	१,८२५.००	
10	300 sq.mm	"	२,२८१.००	२,२८१.००	२,२८१.००	
11	400 sq.mm	"	२,८६४.००	२,८६४.००	२,८६४.००	
	d) 4-core		-	-	-	
1	2.5 sq.mm	र.मी	१२८.००	१२८.००	१२८.००	
2	4 sq.mm	"	१६०.००	१६०.००	१६०.००	
3	6 sq.mm	"	१८५.००	१८५.००	१८५.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	गु.म.क. (VAT) बाहेक (रु.) को दर (रु.)			टोलियन
			भा.म. २०७७/७८	भा.म. २०७८/७९	भा.म. २०७९/८०	
7	35 sq.mm	"	२६६.००	२६६.००	२६६.००	
8	50 sq.mm	"	३५०.००	३५०.००	३५०.००	
9	70 sq.mm	"	४६७.००	४६७.००	४६७.००	
10	95 sq.mm	"	६१५.००	६१५.००	६१५.००	
11	120 sq.mm	"	७६४.००	७६४.००	७६४.००	
12	150 sq.mm	"	९१३.००	९१३.००	९१३.००	
13	185 sq.mm	"	१,१४५.००	१,१४५.००	१,१४५.००	
14	240 sq.mm	"	१,४२१.००	१,४२१.००	१,४२१.००	
15	300 sq.mm Aluminium conductor unarmoured	"	१,८०४.००	१,८०४.००	१,८०४.००	
	d) 3.5-core		-	-	-	
1	25 sq.mm	र.मी	२६६.००	२६६.००	२६६.००	
2	35 sq.mm	"	३१८.००	३१८.००	३१८.००	
3	50 sq.mm	"	४२४.००	४२४.००	४२४.००	
4	70 sq.mm	"	५८४.००	५८४.००	५८४.००	
5	95 sq.mm	"	७६४.००	७६४.००	७६४.००	
6	120 sq.mm	"	९४५.००	९४५.००	९४५.००	
7	150 sq.mm	"	१,१४५.००	१,१४५.००	१,१४५.००	
8	185 sq.mm	"	१,४३३.००	१,४३३.००	१,४३३.००	
9	240 sq.mm	"	१,८०४.००	१,८०४.००	१,८०४.००	
10	300 sq.mm	"	२,२२८.००	२,२२८.००	२,२२८.००	
	e) 4-core core aluminium unarmoured		-	-	-	
1	2.5 sq.mm	र.मी	७४.००	७४.००	७४.००	
2	4 sq.mm	"	८४.००	८४.००	८४.००	
3	6 sq.mm	"	१०१.००	१०१.००	१०१.००	
4	10 sq.mm	"	१३८.००	१३८.००	१३८.००	
5	16 sq.mm	र.मी	२०२.००	२०२.००	२०२.००	
6	25 sq.mm	"	२९७.००	२९७.००	२९७.००	
7	35 sq.mm	"	३६१.००	३६१.००	३६१.००	
8	50 sq.mm	"	४९९.००	४९९.००	४९९.००	
9	70 sq.mm 4	"	६५८.००	६५८.००	६५८.००	
10	95 sq.mm	"	८७०.००	८७०.००	८७०.००	
11	120 sq.mm	"	१,०६१.००	१,०६१.००	१,०६१.००	
12	150 sq.mm	"	१,३२७.००	१,३२७.००	१,३२७.००	
13	185 sq.mm	"	१,६४५.००	१,६४५.००	१,६४५.००	
14	240 sq.mm	"	२,०६९.००	२,०६९.००	२,०६९.००	
15	300 sq.mm	"	२,४४६.००	२,४४६.००	२,४४६.००	
	Security Gate System		-	-	-	
a	Metal Detector (ब्लाक स्कोपियन कम्पनी)	गोटा	१७,५०५.००	१७,५०५.००	१७,५०५.००	
	Air Conditioning system, Daikin, Mitsubishi heavy or Japanese eqv		-	-	-	
i	0.75 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
ii	1.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रु.)			कैफियत
			आ.व. २०७७/७८	आ.व. २०७८/०७९	आ.व. २०७९/०८०	
	Air Conditioning system, McQuay, Panasonic, Fujiaire, Malaysian or Eqv Company		-	-	-	
i	0.75 TR capacity Wall Mounted split type AirConditioning system	सेट	-	-	-	
ii	1.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
iii	1.5 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
iv	2.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	-	-	-	
	Air Conditioning system, whirlpool or Eqv Company		-	-	-	
v	0.75 TR capacity Wall Mounted split type Air	सेट	-	-	-	
vi	1.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
vii	1.5 TR capacity Wall Mounted split type Air	सेट	-	-	-	
viii	2.0 TR capacity Wall Mounted split type Air	सेट	-	-	-	
	General Lightig ANCHOR, C/G, Eqv.		-	-	-	
i	1 x 40 W FTL Patti fitting	सेट	२६०.००	२६०.००	२६०.००	
ii	1 x 20 W FTL Patti fitting	सेट	२३९.००	२३९.००	२३९.००	
iii	1 x 40 W FTL Box Fitting	सेट	४४०.००	४४०.००	४४०.००	
iv	1 x 20 W FTL Box fitting	सेट	४३०.००	४३०.००	४३०.००	
v	9/11W Mini mirror light with electronic Blast suitable for PL lamp	सेट	३६६.००	३६६.००	३६६.००	
	GEWISS /BEC PVC Conduit product of Italy		-	-	-	
	RK Range		-	-	-	
1	16 mm medium rigid conduit DX 25 316	Mtr.	९९.००	९९.००	९९.००	
2	20 mm medium rigid conduit DX 25 320	"	१२८.००	१२८.००	१२८.००	
3	25 mm medium rigid conduit DX 25 325	"	१८०.००	१८०.००	१८०.००	
4	32 mm medium rigid conduit DX 25 332	"	२६०.००	२६०.००	२६०.००	
5	40 mm medium rigid conduit DX 25 340	"	३५५.००	३५५.००	३५५.००	
6	50 mm medium rigid conduit DX 25 350	"	४४६.००	४४६.००	४४६.००	
7	63 mm medium rigid conduit DX 25 363	"	१,०२९.००	१,०२९.००	१,०२९.००	
8	16 mm heavy rigid conduit DX 25 716	"	१७०.००	१७०.००	१७०.००	
9	20 mm heavy rigid conduit DX 25 720	"	२२२.००	२२२.००	२२२.००	
10	25 mm heavy rigid conduit DX 25 725	"	२९७.००	२९७.००	२९७.००	
11	32 mm heavy rigid conduit DX 25 732	"	४४६.००	४४६.००	४४६.००	
12	40 mm heavy rigid conduit DX 25 740	"	६०५.००	६०५.००	६०५.००	
13	50 mm heavy rigid conduit DX 25 750	"	८१७.००	८१७.००	८१७.००	
14	63 mm heavy rigid conduit DX 25 763	"	१,४३३.००	१,४३३.००	१,४३३.००	
15	16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	२०२.००	२०२.००	२०२.००	
16	20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	२५४.००	२५४.००	२५४.००	
17	25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	३८७.००	३८७.००	३८७.००	
18	32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	६४२.००	६४२.००	६४२.००	
19	40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	७६९.००	७६९.००	७६९.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	गु.भ.क. (VAT) भाँडेक (रु.) को दर (रु.)			कैफियत
			भा.व. २०७७/७८	भा.व. २०७८/०७९	भा.व. २०७९/०८०	
20	50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	११२.००	११२.००	११२.००	
21	63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	१,२३६.००	१,२३६.००	१,२३६.००	
22	16 mm shockproof polymer saddle collar clip GW 50 605	"	३२.००	३२.००	३२.००	
23	20 mm shockproof polymer saddle collar clip GW 50 606	"	३७.००	३७.००	३७.००	
24	25 mm shockproof polymer saddle collar clip GW 50 607	"	४२.००	४२.००	४२.००	
25	32 mm shockproof polymer saddle collar clip GW 50 608	"	६४.००	६४.००	६४.००	
26	40 mm shockproof polymer saddle collar clip GW 50 630	"	१०१.००	१०१.००	१०१.००	
27	50 mm shockproof polymer saddle collar clip GW 50 631	"	१२२.००	१२२.००	१२२.००	
28	16 mm conduit coupler DX 40 016	"	३७.००	३७.००	३७.००	
29	20 mm conduit coupler DX 40 020	"	४७.००	४७.००	४७.००	
30	25 mm conduit coupler DX 40 025	"	५९.००	५९.००	५९.००	
31	32 mm conduit coupler DX 40 032	"	१०६.००	१०६.००	१०६.००	
32	40 mm conduit coupler DX 40 040	"	१४३.००	१४३.००	१४३.००	
33	50 mm conduit coupler DX 40 050	"	२४९.००	२४९.००	२४९.००	
34	63 mm conduit coupler DX 40 063	"	४७२.००	४७२.००	४७२.००	
35	16 mm tight bend DX 40 116	"	५९.००	५९.००	५९.००	
36	20 mm tight bend DX 40 120	"	८४.००	८४.००	८४.००	
37	25 mm tight bend DX 40 125	"	१३३.००	१३३.००	१३३.००	
38	32 mm tight bend DX 40 132	"	२४४.००	२४४.००	२४४.००	
39	40 mm tight bend DX 40 140	"	३४५.००	३४५.००	३४५.००	
40	50 mm tight bend DX 40 150	"	६२१.००	६२१.००	६२१.००	
41	63 mm tight bend DX 40 163	"	२,४३०.००	२,४३०.००	२,४३०.००	
42	4 way junction box DX 45 004	"	६९०.००	६९०.००	६९०.००	
43	7 way junction box DX 45 007	"	८२७.००	८२७.००	८२७.००	
44	10 way junction box DX 45 010	"	१,०५१.००	१,०५१.००	१,०५१.००	
45	Closing cap for junction box DX 47 000	"	१२२.००	१२२.००	१२२.००	
46	16 mm inspectionable T bend DX 40216	"	१२२.००	१२२.००	१२२.००	
47	20 mm inspectionable T bend DX 40220	"	१५३.००	१५३.००	१५३.००	
48	25 mm inspectionable T bend DX 40225	"	२०२.००	२०२.००	२०२.००	
49	32 mm inspectionable T bend DX 40232	"	२४४.००	२४४.००	२४४.००	
50	16 mm inspectionable bend DX 40 316	"	१०१.००	१०१.००	१०१.००	
51	20 mm inspectionable bend DX 40 320	"	१२२.००	१२२.००	१२२.००	
52	25 mm inspectionable bend DX 40 325	"	१६०.००	१६०.००	१६०.००	
53	32 mm inspectionable bend DX 40 332	"	१९१.००	१९१.००	१९१.००	
	GEWISS/BEC Cable Tray with Cover and Accessories BRN Range		-	-	-	
1	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Fl.	८४४.००	८४४.००	८४४.००	
2	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	१,००२.००	१,००२.००	१,००२.००	
3	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	१,२०९.००	१,२०९.००	१,२०९.००	
4	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	१,३५८.००	१,३५८.००	१,३५८.००	
5	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	१,५८६.००	१,५८६.००	१,५८६.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.भ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७७/७८	आ.व. २०७८/०७९	आ.व. २०७९/०८०	
iv	Motion Detector	सेट	४,३०३.००	४,३०३.००	४,३०३.००	
	Wireless Passive Infrared, Pet Immune Motion Detector		-	-	-	
v	Panic Switch	सेट	५,०६९.००	५,०६९.००	५,०६९.००	
	Wireless Panic Transmitter		-	-	-	
vi	Key	सेट	४,९२३.००	४,९२३.००	४,९२३.००	
	Wireless Key to Arm and Disarm the System		-	-	-	
vii	Window Contact	सेट	२,८९६.००	२,८९६.००	२,८९६.००	
	Wired door Contact with transmitter slim		-	-	-	
	Earth Quake Detector(JDS Inc, USA)	पिस	३,७०९.००	३,७०९.००	३,७०९.००	
	Quake Alarm		-	-	-	
	Automatic Motor Operator for water motor		-	-	-	
i	Upto 1/2 HP single phase motor	सेट	४,२४४.००	४,२४४.००	४,२४४.००	
ii	Upto 1 HP single phase motor	सेट	५,८३५.००	५,८३५.००	५,८३५.००	
iii	Upto 5 HP three phase motor	सेट	९,५४८.००	९,५४८.००	९,५४८.००	
	CCTV System		-	-	-	
a	Out door high speed Dome Integrated CAMERA Multi Protocol ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.		-	-	-	
i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५८,३५०.००	५८,३५०.००	५८,३५०.००	
ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	६०,६८३.००	६०,६८३.००	६०,६८३.००	
b	Indoor high speed Dome Integrated CAMERA		-	-	-	
i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५६,०९६.००	५६,०९६.००	५६,०९६.००	
ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५८,३५०.००	५८,३५०.००	५८,३५०.००	
c	VISTA Box camera with adopter, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	१५,९९४.००	१५,९९४.००	१५,९९४.००	
d	7" Spherical Shilded with bracket included chip excluded Camera		८,६९५.००	८,६९५.००	८,६९५.००	
e	i) 8 Channel DVR MJPEG Compression Type 8 Channel input 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	३५,०९०.००	३५,०९०.००	३५,०९०.००	
	ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	५२,५९५.००	५२,५९५.००	५२,५९५.००	
f	17" LCD Monitor SAMSUNG or Korean Eqv.	सेट	११,९३९.००	११,९३९.००	११,९३९.००	
	Electrical Equipments		-	-	-	
i	Earthing Materials (ISI or other International Standard)		-	-	-	
a	6 mm thick 600mm× 600 mm G.I. Plate	No.	२,९९४.००	२,९९४.००	२,९९४.००	
c	Funneling Mechanism with cover (mild steel)	set	६३७.००	६३७.००	६३७.००	
d	3.2 mm thick 600mm× 600 mm Copper Plate	No.	९,८०३.००	९,८०३.००	९,८०३.००	
e	Copper wire (10 SWG)	Mtr.	१६०.००	१६०.००	१६०.००	

क्र.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७७/७८	आ.व. २०७८/०७९	आ.व. २०७९/०८०	
	RCCB FP 40A 30mA	pole	४,२८०.००	४,२८०.००	४,२८०.००	
	RCCB FP 63A 30mA	pole	४,२८०.००	४,२८०.००	४,२८०.००	
	RCCB FP 25A 100mA	pole	४,१२४.००	४,१२४.००	४,१२४.००	
	RCCB FP 40A 100mA	pole	४,१२४.००	४,१२४.००	४,१२४.००	
	RCCB FP 63A 100mA	pole	४,१२४.००	४,१२४.००	४,१२४.००	
	RCCB FP 25A 300mA	pole	४,१२४.००	४,१२४.००	४,१२४.००	
	RCCB FP 40A 300mA	pole	४,१२४.००	४,१२४.००	४,१२४.००	
	RCCB FP 63A 300mA	pole	४,१२४.००	४,१२४.००	४,१२४.००	

[Handwritten signatures and initials]