



मध्यपुर थिमि नगरपालिका
नगर कार्यपालिकाको कार्यालय, थिमि, भक्तपुर
बागमती प्रदेश, नेपाल

Water Supply Works तथा Sanitary Works को निर्माण सामग्रीहरूको दर(रेट)

आ.ब.०७९/०८०

SANITARY WORK

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
1	Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरू)					
	White glazed porcelain pan					
	i) 530mm size white glazed without siphon	सेट	२,६००.००	२,६००.००	२,६००.००	
	ii) 500 mm size white glazed without siphon	"	२,८२३.००	२,८२३.००	२,८२३.००	
	iii) 580 mm size orrisa Pan	"	३,४७२.००	३,४७२.००	२,६००.००	
	iii) 580 mm size white glazed Indian pan	"	१,०८०.००	१,०८०.००	१,५०.००	
	iv) Siphon 'p' or 's' type	"	६०८.००	६०८.००	४००.००	
	v) Asian Pan 51x40 Rectangular	"	२,६००.००	२,६००.००	२,४५०.००	
	Porcelain Clay Cistern					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	"	३,६६६.००	३,६६६.००	३,६६६.००	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	"	६८७.००	६८७.००	६८७.००	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	"	३,८०९.००	३,८०९.००	३,८०९.००	
	Commode					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	१,६३५.००	१,६३५.००	१,६३५.००	
	ii) White glazed porcelain clay EWC regular commode with 's' \ p trap	"	१,८८०.००	१,८८०.००	१,८८०.००	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)	"	१८,६६३.००	१८,६६३.००	१८,६६३.००	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	२९,७४९.००	२९,७४९.००	२९,७४९.००	
	v) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.(Boln, Tita, Akwa or eqv.)	"	२९,००९.००	२९,००९.००	२९,००९.००	
	vi)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Boln, Tita, Akwa or eqv.)	"	५,४९०.००	५,४९०.००	५,४९०.००	
	vii) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	८,९९६.००	८,९९६.००	८,९९६.००	
	viii) 600 to 900 mm Grab bar	"	६,२४४.००	६,२४४.००	६,२४४.००	
	Bidet set					

Handwritten signatures and initials are present below the table.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	"	२१,१६५.००	२१,१६५.००	२१,१६५.००	
	Pedestal:		-	-	-	
	i) Porcelain clay white glaze pedestal	"	१,४१९.००	१,४१९.००	१,४१९.००	
	ii) White glazed Porcelain clay half pedestal complete set.	"	१,७२०.००	१,७२०.००	१,७२०.००	
	iii) First color glazed Porcelain clay half pedestal complete set.	"	२,०३२.००	२,०३२.००	२,०३२.००	
	iv) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent)	"	१३,७१२.००	१३,७१२.००	१३,७१२.००	
	Urinal Partition		-	-	-	
	White glaze porcelain clay (68x30)cm division plate	"	१,७९३.००	१,७९३.००	१,७९३.००	
	Lab sink		-	-	-	
	i) Porcelain clay white glaze large size	"	२,२८९.००	२,२८९.००	२,२८९.००	
	ii) Porcelain clay white glaze small size	"	१,७०३.००	१,७०३.००	१,७०३.००	
	iii) Porcelain clay janitor sink 58x71x43.5 size	"	२८,३८०.००	२८,३८०.००	२८,३८०.००	
	Kitchen sink		-	-	-	
	i) Porcelain clay large	सेट	३,८७६.००	३,८७६.००	३,८७६.००	
	ii) Porcelain clay small	"	३,५११.००	३,५११.००	३,५११.००	
	iii) drain board white 53x45	"	१,३४३.००	१,३४३.००	१,३४३.००	
	iv) Soap dish	"	६८१.००	६८१.००	६८१.००	
	v) White glaze foot rest	"	४३२.००	४३२.००	४३२.००	
	vi) White glaze Toilet paper holder	"	१,१९२.००	१,१९२.००	१,१९२.००	
2	PVC Cistern Set		-	-	-	
	i) single flush	सेट	२,०३२.००	२,०३२.००	२,०३२.००	
	ii) Deluxe single flush	"	२,२७०.००	२,२७०.००	२,२७०.००	
	iii) Dual flush 6/3 lit. cistern complete set.	"	३,०५५.००	३,०५५.००	३,०५५.००	
	iv) concealed cistern with plate complete set.(Viega, Geberit, American standard or equivalent)	"	१७,३६८.००	१७,३६८.००	१७,३६८.००	
	v) 32 mm pvc bottle trap set.	पिस	४९०.००	४९०.००	४९०.००	
	vi) 1.5x45 cm pvc pipe connector set.	"	१४७.००	१४७.००	१४७.००	
	vi) Bakelite toilet seat cover set.	"	२८४.००	२८४.००	२८४.००	
3	Stainless Steel Accessories etc.		-	-	-	
	Stainless steel Deep sink 45x45x30 size	"	१८,७३१.००	१८,७३१.००	१८,७३१.००	
	Stainless steel Orissa pan LP 210 size	"	८,७४१.००	८,७४१.००	८,७४१.००	
	Stainless steel wash basin model 251 12" round size with pedestal	"	१३,६६०.००	१३,६६०.००	१३,६६०.००	
	Stainless steel wash basin 500 mm model 277 with complete set	"	१०,५८४.००	१०,५८४.००	१०,५८४.००	
	Stainless steel commode S trap with self closing complete set	"	१८,०८१.००	१८,०८१.००	१८,०८१.००	


[Handwritten signatures and initials]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रु.) आ.व.			कैफियत
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	i) C.P. Toilet Paper Holder	"	९५७.००	९५७.००	९५७.००	
	ii) C.P. Soap Dish(Polyurethane)	"	१,०७३.००	१,०७३.००	१,०७३.००	
	iii) C.P. Towel Rod 18"	"	१,६२५.००	१,६२५.००	१,६२५.००	
	iv) C.P. Towel Rod 24"	"	१,७१३.००	१,७१३.००	१,७१३.००	
	v) C.P. Glass Shelf 22"	"	२,३२८.००	२,३२८.००	२,३२८.००	
	vi) C.P. Coat Hook Double	"	८३६.००	८३६.००	८३६.००	
	ix) C.P. Angle Cock	"	-	-	-	
	15mm C.P. Angle Cock	"	९५५.००	९५५.००	९५५.००	
	15 mm C.P. Angle Cock Long Thread	"	१,०१६.००	१,०१६.००	१,०१६.००	
	x) C.P. Conceal Stop Cock	"	-	-	-	
	i) 15 mm Reduced body	"	१,१७०.००	१,१७०.००	१,१७०.००	
	ii) 15 mm Extra Heavy Body	"	१,४३२.००	१,४३२.००	१,४३२.००	
	xi) C.P. Bib Cock	"	-	-	-	
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	"	२,६९०.००	२,६९०.००	२,६९०.००	
	ii) 15mm C.P. Bib Cock	"	९८१.००	९८१.००	९८१.००	
	iii) 15mm C.P. Bib Cock with nozzle	"	१,०८६.००	१,०८६.००	१,०८६.००	
	xii) C.P. Pillar Cock	"	-	-	-	
	i) 15 mm C.P. Pillar Cock With Aerator	"	१,३०१.००	१,३०१.००	१,३०१.००	
	ii) 15mm Auto Closing Pillar Cock With Aerator	"	२,६०३.००	२,६०३.००	२,६०३.००	
	i) 15mm C.P. Sink Cock	"	१,६४८.००	१,६४८.००	१,६४८.००	
	ii) C.P. Sink Mixer	"	४,०८५.००	४,०८५.००	४,०८५.००	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	"	३,५६०.००	३,५६०.००	३,५६०.००	
	xv) C.P. Bottle Trap 32mm	"	१,९०८.००	१,९०८.००	१,९०८.००	
	32 mm C.P. Conceal Flush Valve Dual Flow	"	३,९९०.००	३,९९०.००	३,९९०.००	
	xvii) C.P. Waste Coupling	"	-	-	-	
	32 mm C.P. Waste Coupling H/T	"	४५९.००	४५९.००	४५९.००	
	32 mm C.P. Waste Coupling F/T	"	४५९.००	४५९.००	४५९.००	
	xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock	"	२,७७५.००	२,७७५.००	२,७७५.००	
	xix) 15 mm C.P. Wall Mixer	"	-	-	-	
	15 mm C.P. Wall Mixer With Lower Bend Pipe	"	४,५९७.००	४,५९७.००	४,५९७.००	
	15 mm C.P. Wall Mixer With Upper Bend Pipe	"	४,५९७.००	४,५९७.००	४,५९७.००	
	xx) C.P. Basin Mixer	"	-	-	-	
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	३,८१७.००	३,८१७.००	३,८१७.००	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	४,००८.००	४,००८.००	४,००८.००	
	xxi) 15mm Bath Tub Spout with wall flange	"	-	-	-	

Al
Sanitary
for
for
for

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रु.) आ.व.			कैफियत
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	25mm	"	२०.००	२०.००	२०.००	
	32mm	गोटा	३४.००	३४.००	३४.००	
	40mm	"	७१.००	७१.००	७१.००	
	50mm	"	११८.००	११८.००	११८.००	
	63 mm	"	२०९.००	२०९.००	२०९.००	
	75 mm	"	३९२.००	३९२.००	३९२.००	
	90 mm	"	६६२.००	६६२.००	६६२.००	
	110 mm	"	१,२३२.००	१,२३२.००	१,२३२.००	
	Equal Tee		-	-	-	
	20mm	"	१४.००	१४.००	१४.००	
	25mm	"	२४.००	२४.००	२४.००	
	32mm	"	४२.००	४२.००	४२.००	
	40mm	"	८१.००	८१.००	८१.००	
	50mm	"	१३८.००	१३८.००	१३८.००	
	63mm	"	२४१.००	२४१.००	२४१.००	
	75 mm	"	४३६.००	४३६.००	४३६.००	
	90 mm	"	७९८.००	७९८.००	७९८.००	
	110 mm	"	१,३८४.००	१,३८४.००	१,३८४.००	
	Coupler		-	-	-	
	20mm	गोटा	८.००	८.००	८.००	
	25mm	"	१०.००	१०.००	१०.००	
	32mm	"	२०.००	२०.००	२०.००	
	40mm	"	३८.००	३८.००	३८.००	
	50mm	"	६४.००	६४.००	६४.००	
	63 mm	"	११२.००	११२.००	११२.००	
	75 mm	"	२१८.००	२१८.००	२१८.००	
	90 mm	"	३२२.००	३२२.००	३२२.००	
	110 mm	"	४८८.००	४८८.००	४८८.००	
	45 Degree Elbow		-	-	-	
	20 mm	"	१४.००	१४.००	१४.००	
	25 mm	"	२२.००	२२.००	२२.००	
	32 mm	"	३४.००	३४.००	३४.००	
	40 mm	"	६४.००	६४.००	६४.००	
	50 mm	"	१०८.००	१०८.००	१०८.००	
	63 mm	"	१७८.००	१७८.००	१७८.००	
	75 mm	"	३४८.००	३४८.००	३४८.००	
	90 mm	"	४८८.००	४८८.००	४८८.००	
	110 mm	"	१,०२७.००	१,०२७.००	१,०२७.००	
	Union (Plastic)		-	-	-	
	20mm	गोटा	४२.००	४२.००	४२.००	
	25mm	"	८८.००	८८.००	८८.००	

सि.नं.	विर्माण सामग्रीहरूको विवरण	एकाई	मु.भ.क. (VAT) बाहेक (रु.) को दर (रु.)			वै.क्र.सं.
			२०७३/०७८	२०७८/०७९	२०७९/०८०	
	12mm	"	१४३.००	१४३.००	१४३.००	
	40mm	"	२१३.००	२१३.००	२१३.००	
	50mm	"	३४०.००	३४०.००	३४०.००	
	63mm	"	४०६.००	४०६.००	४०६.००	
	Reducing Coupler		-	-	-	
	25mm*20mm	"	१५.००	१५.००	१५.००	
	32mm*20mm	"	१५.००	१५.००	१५.००	
	32mm*25mm	"	२०.००	२०.००	२०.००	
	40mm*20mm	"	३०.००	३०.००	३०.००	
	40mm*25mm	"	३१.००	३१.००	३१.००	
	40mm*32mm	"	४२.००	४२.००	४२.००	
	50mm*20mm	"	५६.००	५६.००	५६.००	
	50mm*25mm	"	५४.००	५४.००	५४.००	
	50mm*32mm	"	६१.००	६१.००	६१.००	
	50mm*40mm	"	६५.००	६५.००	६५.००	
	63mm*32mm	"	८८.००	८८.००	८८.००	
	63mm*40mm	"	१०९.००	१०९.००	१०९.००	
	63mm*50mm	"	१०९.००	१०९.००	१०९.००	
	75mm*40mm	"	२१८.००	२१८.००	२१८.००	
	75mm*50mm	"	२२२.००	२२२.००	२२२.००	
	75mm*63mm	"	२२४.००	२२४.००	२२४.००	
	90mm*50mm	"	४१४.००	४१४.००	४१४.००	
	90mm*63mm	"	४४४.००	४४४.००	४४४.००	
	90mm*75mm	"	५२२.००	५२२.००	५२२.००	
	110mm*75mm		७३२.००	७३२.००	७३२.००	
	110mm*90mm		८१४.००	८१४.००	८१४.००	
	Reducing Tee		-	-	-	
	25*20*25 mm	"	२६.००	२६.००	२६.००	
	32*20*32 mm	"	३९.००	३९.००	३९.००	
	32*25*32 mm	"	४२.००	४२.००	४२.००	
	40*20*40 mm	"	५६.००	५६.००	५६.००	
	40*25*40 mm	"	६३.००	६३.००	६३.००	
	40*32*40 mm	"	६७.००	६७.००	६७.००	
	50*20*50 mm	"	८५.००	८५.००	८५.००	
	50*25*50 mm	"	९३.००	९३.००	९३.००	
	50*32*50 mm	"	१२६.००	१२६.००	१२६.००	
	50*40*50 mm	"	१३०.००	१३०.००	१३०.००	
	63*32*63 mm	"	१९६.००	१९६.००	१९६.००	
	63*40*63 mm	"	१९८.००	१९८.००	१९८.००	
	63*50*63 mm	"	२०७.००	२०७.००	२०७.००	
	75*50*75 mm	"	४४८.००	४४८.००	४४८.००	



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	32mmx3/4"	"	२०९.००	२०९.००	२०९.००	
	32mmx1"	"	२९३.००	२९३.००	२९३.००	
	Male Coupling		-	-	-	
	20mmx1/2"	"	११८.००	११८.००	११८.००	
	20mmx3/4"	"	१२४.००	१२४.००	१२४.००	
	25mmx1/2"	"	१४३.००	१४३.००	१४३.००	
	25mmx3/4"	"	१६५.००	१६५.००	१६५.००	
	32mmx1/2"	"	१४९.००	१४९.००	१४९.००	
	32mmx3/4"	"	१४९.००	१४९.००	१४९.००	
	32mmx1"	"	३१९.००	३१९.००	३१९.००	
	40mmx1-1/4"	"	५३९.००	५३९.००	५३९.००	
	50mmx1-1/2"	"	८१२.००	८१२.००	८१२.००	
	63mmx2"		१,०७२.००	१,०७२.००	१,०७२.००	
	75mmx2-1/2"	"	२,६६४.००	२,६६४.००	२,६६४.००	
	Female Coupling		-	-	-	
	20mmx1/2"	"	९६.००	९६.००	९६.००	
	20mmx3/4"	"	११३.००	११३.००	११३.००	
	25mmx1/2"	"	१२६.००	१२६.००	१२६.००	
	25mmx3/4"	"	१२८.००	१२८.००	१२८.००	
	32mmx1/2"	"	१०८.००	१०८.००	१०८.००	
	32mmx3/4"	"	११६.००	११६.००	११६.००	
	32mmx1"	"	२७३.००	२७३.००	२७३.००	
	40mmx1-1/4"	"	४७३.००	४७३.००	४७३.००	
	50mmx1-1/2"	"	६१३.००	६१३.००	६१३.००	
	63mmx2"		८२१.००	८२१.००	८२१.००	
	75mmx2-1/2"	"	१,८७७.००	१,८७७.००	१,८७७.००	
	Male Union		-	-	-	
	20mmx1/2"	"	२६६.००	२६६.००	२६६.००	
	25mmx3/4"	"	३८२.००	३८२.००	३८२.००	
	32mmx1"	"	५६१.००	५६१.००	५६१.००	
	40mmx1 ^{1/4} "	"	१,०१०.००	१,०१०.००	१,०१०.००	
	50mmx1/2"	"	१,३५०.००	१,३५०.००	१,३५०.००	
	63mmx2"	"	३,४८३.००	३,४८३.००	३,४८३.००	
	Female Union		-	-	-	
	20mmx1/2"	"	२५६.००	२५६.००	२५६.००	

Handwritten signatures and initials.

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रिट)			शैफियत
			आ.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	25mmx3/4"	"	३३२.००	३३२.००	३३२.००	
	32mmx1"	"	५३७.००	५३७.००	५३७.००	
	40mmx1 ^{1/4} "	"	७४०.००	७४०.००	७४०.००	
	50mmx1/2"	"	१,२६५.००	१,२६५.००	१,२६५.००	
	63mmx2"	"	२,३०७.००	२,३०७.००	२,३०७.००	
	Stop Valve		-	-	-	
	a) 20 mm	"	३०६.००	३०६.००	३०६.००	
	b) 25 mm	"	४०४.००	४०४.००	४०४.००	
	c) 32 mm	"	४८८.००	४८८.००	४८८.००	
	d) 40mm	"	५२२.००	५२२.००	५२२.००	
	e)50 mm	"	८७०.००	८७०.००	८७०.००	
	f) 63 mm	"	१,३०८.००	१,३०८.००	१,३०८.००	
	Male base elbow		-	-	-	
	20mm x 1/2"	"	१३८.००	१३८.००	१३८.००	
	25mm x 3/4"	"	१७०.००	१७०.००	१७०.००	
	Female base elbow		-	-	-	
	20mm x 1/2"	"	१३५.००	१३५.००	१३५.००	
	25mm x 1/2"	"	१६६.००	१६६.००	१६६.००	
	25mm x 3/4"	"	१६३.००	१६३.००	१६३.००	
	Metal Ball valve (double)		-	-	-	
	20mmx1/2"	"	५६६.००	५६६.००	५६६.००	
	25mmx3/4"	"	८२९.००	८२९.००	८२९.००	
	32mmx1"	"	१,०२४.००	१,०२४.००	१,०२४.००	
	40mmx1-1/4"	"	२,९९५.००	२,९९५.००	२,९९५.००	
	50mmx1-1/2"	"	४,००५.००	४,००५.००	४,००५.००	
	Metal Ball valve (Single)		-	-	-	
	20mmx1/2"	"	५२२.००	५२२.००	५२२.००	
	25mmx3/4"	"	८३६.००	८३६.००	८३६.००	
	32mmx1"	"	१,१५४.००	१,१५४.००	१,१५४.००	
	Conceal Valve (Lux)		-	-	-	
	20mm	"	९७७.००	९७७.००	९७७.००	
	Conceal Valve (Nor)		-	-	-	
	20mm	"	८२२.००	८२२.००	८२२.००	
	Ball Valve (Plastic)		-	-	-	
	20mm	"	८३.००	८३.००	८३.००	
	25mm	"	११३.००	११३.००	११३.००	
	32mm	"	१९६.००	१९६.००	१९६.००	
	40mm	"	४१७.००	४१७.००	४१७.००	
	50mm	"	६०५.००	६०५.००	६०५.००	
	63 mm	"	१,०२४.००	१,०२४.००	१,०२४.००	
	Ball Valve (Brass)		-	-	-	

Handwritten signatures and initials are present below the table.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) माहेक (रु.) को दर (रेट)			कैफियत
			आ.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	3/4" x 1/2" x 3/4"	"	१३८.००	१३८.००	१३८.००	
	3/4" x 1/2" x 1/2"	"	१५८.००	१५८.००	१५८.००	
	1" x 1" x 3/4"	"	१६६.००	१६६.००	१६६.००	
	1-1/2" x 1-1/2" x 1"	"	२५८.००	२५८.००	२५८.००	
	2" x 2" x 1"	"	४४९.००	४४९.००	४४९.००	
	1-1/4" x 1-1/4" x 1/2"	"	१४६.००	१४६.००	१४६.००	
	1-1/4" x 1-1/4" x 1"	"	१५८.००	१५८.००	१५८.००	
	2" x 2" x 1/2"	"	४४९.००	४४९.००	४४९.००	
	1" x 1" x 1/2"	"	१०३.००	१०३.००	१०३.००	
	CPVC Brass FPT Tee	गोटा	-	-	-	
	1/2" x 1/2" x 1/2"	"	१२४.००	१२४.००	१२४.००	
	3/4" x 3/4" x 1/2"	"	१२९.००	१२९.००	१२९.००	
	1" x 1" x 1/2"	"	१४३.००	१४३.००	१४३.००	
	1-1/4" x 1-1/4" x 1-1/4"	"	५१६.००	५१६.००	५१६.००	
	1-1/4" x 1-1/4" x 1/2"	"	२८०.००	२८०.००	२८०.००	
	CPVC Elbow 90°	गोटा	-	-	-	
	1/2"	"	२६.००	२६.००	२६.००	
	3/4"	"	५४.००	५४.००	५४.००	
	1"	"	९८.००	९८.००	९८.००	
	1-1/4"	"	१८५.००	१८५.००	१८५.००	
	1-1/2"	"	२७५.००	२७५.००	२७५.००	
	2"	"	५९०.००	५९०.००	५९०.००	
	CPVC Reducer Elbow 90°		-	-	-	
	3/4" X 1/2"		५४.००	५४.००	५४.००	
	CPVC Brass FPT Elbow 90°	गोटा	-	-	-	
	1/2" x 1/2"	"	८६.००	८६.००	८६.००	
	3/4" x 1/2"	"	१००.००	१००.००	१००.००	
	3/4" x 3/4"	"	११४.००	११४.००	११४.००	
	1" X 1/2"	"	२२१.००	२२१.००	२२१.००	
	1" X 1"	"	६१४.००	६१४.००	६१४.००	
	1-1/4" x 1-1/4"	"	७९७.००	७९७.००	७९७.००	
	CPVC Elbow 45°	गोटा	-	-	-	
	1/2"	"	३१.००	३१.००	३१.००	
	3/4"	"	५६.००	५६.००	५६.००	
	1"	"	८०.००	८०.००	८०.००	
	1-1/4"	"	१४०.००	१४०.००	१४०.००	
	1-1/2"	"	२०३.००	२०३.००	२०३.००	
	2"	"	४४०.००	४४०.००	४४०.००	
	CPVC Male Adapter (CPVC Threads)	गोटा	-	-	-	
	1/2"	"	२३.००	२३.००	२३.००	
	3/4"	"	४०.००	४०.००	४०.००	

[Handwritten signatures and marks]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रिट)			कैफियत
			आ.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	1/2"	"	५१.००	५१.००	५१.००	
	3/4"	"	१०९.००	१०९.००	१०९.००	
	CPVC Step Over Bend		-	-	-	
	1/2"	"	६५.००	६५.००	६५.००	
	3/4"	"	१०७.००	१०७.००	१०७.००	
	CPVC Ball Valve (CTS Sockets)		-	-	-	
	1/2"	"	६८१.००	६८१.००	६८१.००	
	3/4"	"	८२९.००	८२९.००	८२९.००	
	1"	"	९४९.००	९४९.००	९४९.००	
	1-1/4"	"	१,९३५.००	१,९३५.००	१,९३५.००	
	1-1/2"	"	२,४६२.००	२,४६२.००	२,४६२.००	
	2"	"	३,१६७.००	३,१६७.००	३,१६७.००	
	CPVC Flow Guard Adhesive Solution		-	-	-	
	50ML	"	२०५.००	२०५.००	२०५.००	
	118ML	"	३३९.००	३३९.००	३३९.००	
	237ML	"	५४९.००	५४९.००	५४९.००	
	473ML	"	८६३.००	८६३.००	८६३.००	
	946ML	"	१,५१५.००	१,५१५.००	१,५१५.००	
	Plastic Strap		-	-	-	
	1/2"	"	५.००	५.००	५.००	
	3/4"	"	६.००	६.००	६.००	
	1"	"	८.००	८.००	८.००	
	1-1/4"	"	१२.००	१२.००	१२.००	
	1-1/2"	"	१५.००	१५.००	१५.००	
	2"	"	१९.००	१९.००	१९.००	
	Metal Strap		-	-	-	
	1/2"	"	१३.००	१३.००	१३.००	
	3/4"	"	१७.००	१७.००	१७.००	
	1"	"	२१.००	२१.००	२१.००	
	1-1/4"	"	२५.००	२५.००	२५.००	
	1-1/2"	"	२८.००	२८.००	२८.००	
	2"	"	३०.००	३०.००	३०.००	
	Tee Holder		-	-	-	
	1/2" X 1/2" X 1/2"	"	६.००	६.००	६.००	
	3/4" X 3/4" X 1/2"	"	८.००	८.००	८.००	
	Elbow Holder		-	-	-	
	1/2" X 1/2"	"	६.००	६.००	६.००	
	1/2" X 3/4"	"	७.००	७.००	७.००	
	Snap Fix Repair Coupling		-	-	-	
	1/2"	"	२३६.००	२३६.००	२३६.००	
	3/4"	"	२५६.००	२५६.००	२५६.००	

[Handwritten signatures and initials]


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	End plug threaded 1/2"	"	१२.००	१२.००	१२.००	
21	MS SEAMLESS PIPES		-	-	-	
	PIPES: ASTM-A-106 Gr.'B'/SA-106Gr.'B'/SA-53		-	-	-	
	MS PIPE SEAMLESS SIZE OD (MM)	"	-	-	-	
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	"	४६६.००	४६६.००	४६६.००	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	"	५५८.००	५५८.००	५५८.००	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	"	७००.००	७००.००	७००.००	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	"	८६४.००	८६४.००	८६४.००	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	"	९८९.००	९८९.००	९८९.००	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	"	१,२७०.००	१,२७०.००	१,२७०.००	
	73mm OD 3" SCH.40, 5.16 .mm thickness	"	१,९५२.००	१,९५२.००	१,९५२.००	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	"	२,५५५.००	२,५५५.००	२,५५५.००	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	"	३,३०१.००	३,३०१.००	३,३०१.००	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	"	३,६३७.००	३,६३७.००	३,६३७.००	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	"	४,९२५.००	४,९२५.००	४,९२५.००	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	"	६,३९३.००	६,३९३.००	६,३९३.००	
23	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)		-	-	-	
	Single Socket (R/R)	Mtr	४६५.००	४६५.००	४६५.००	
	Single Socket (R/R)	"	८६३.००	८६३.००	८६३.००	
	Single Socket (R/R)	"	९३०.००	९३०.००	९३०.००	
	Single Socket Self Fit	"	१,१९९.००	१,१९९.००	१,१९९.००	
	Single Socket Self Fit	"	१,४६६.००	१,४६६.००	१,४६६.००	
	Single Socket Self Fit	"	२,०१५.००	२,०१५.००	२,०१५.००	
	Single Socket Self Fit	"	२,३७१.००	२,३७१.००	२,३७१.००	
	Single Socket Self Fit	"	३,१६७.००	३,१६७.००	३,१६७.००	
	Single Socket Self Fit	"	३,७७४.००	३,७७४.००	३,७७४.००	
	Long Radius Bend - 45 Degree	Pc	१,२२७.००	१,२२७.००	१,२२७.००	
	Long Radius Bend - 45 Degree	"	२,२४०.००	२,२४०.००	२,२४०.००	
	Long Radius Bend - 45 Degree	"	४,०४४.००	४,०४४.००	४,०४४.००	
	Long Radius Bend - 45 Degree	"	७,८४१.००	७,८४१.००	७,८४१.००	
	Long Radius Bend - 60 Degree	"	१,३५१.००	१,३५१.००	१,३५१.००	
	Long Radius Bend - 60 Degree	"	२,४७७.००	२,४७७.००	२,४७७.००	
	Long Radius Bend - 60 Degree	"	४,५४३.००	४,५४३.००	४,५४३.००	
	Long Radius Bend - 60 Degree	"	८,६०३.००	८,६०३.००	८,६०३.००	
	Long Radius Bend - 90 Degree	"	६६३.००	६६३.००	६६३.००	
	Long Radius Bend - 90 Degree	"	१,६०१.००	१,६०१.००	१,६०१.००	
	Long Radius Bend - 90 Degree	"	२,९५३.००	२,९५३.००	२,९५३.००	
	Long Radius Bend - 90 Degree	"	५,५२२.००	५,५२२.००	५,५२२.००	
	Long Radius Bend - 90 Degree	"	१०,१७४.००	१०,१७४.००	१०,१७४.००	
	Fab. Coupler	"	१९९.००	१९९.००	१९९.००	

[Handwritten signatures and initials]

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रिट)			कैफियत
			आ.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	Fab. Coupler	"	४५७.००	४५७.००	४५७.००	
	Fab. Coupler	"	९८५.००	९८५.००	९८५.००	
	Fab. Coupler	"	१,९२६.००	१,९२६.००	१,९२६.००	
	Fab. Coupler	"	३,५४३.००	३,५४३.००	३,५४३.००	
	End Cap	"	४०८.००	४०८.००	४०८.००	
	End Cap	"	६७१.००	६७१.००	६७१.००	
	End Cap	"	१,०७१.००	१,०७१.००	१,०७१.००	
	End Cap	"	१,५६४.००	१,५६४.००	१,५६४.००	
	Equal Tee	"	११,६७३.००	११,६७३.००	११,६७३.००	
	Equal Tee	"	६,७१८.००	६,७१८.००	६,७१८.००	
	Equal Tee	"	३,७२९.००	३,७२९.००	३,७२९.००	
	Gully Trap with grating	"	१,०९०.००	१,०९०.००	१,०९०.००	
	Rodding Point	"	६४६.००	६४६.००	६४६.००	
	Adjustable Bend 7 Degree to 37.5 Degree	"	६८९.००	६८९.००	६८९.००	
	Adjustable Bend 7 Degree to 87.5 Degree	"	९४५.००	९४५.००	९४५.००	
	Inspection Chamber Body	"	३,३९९.००	३,३९९.००	३,३९९.००	
	Inspection Chamber Riser	"	१,६८८.००	१,६८८.००	१,६८८.००	
	Inspection Chamber Lid with Cover	"	३,२०५.००	३,२०५.००	३,२०५.००	
	Inspection Chamber Body	"	९,३८५.००	९,३८५.००	९,३८५.००	
	Inspection Chamber Riser	"	२,९८४.००	२,९८४.००	२,९८४.००	
	Inspection Chamber Lid with Cover	"	४,९८०.००	४,९८०.००	४,९८०.००	
24	GEBERIT		-	-	-	
	Geberit Products		-	-	-	
	Concealled Cisterns 9cm	"	७,६५४.००	७,६५४.००	७,६५४.००	
	Concealled Cisterns Kombo fix 8cm	"	९,३७६.००	९,३७६.००	९,३७६.००	
	Dual Flush Actuator Plate Shiny Chrome	"	३,७५५.००	३,७५५.००	३,७५५.००	
	Concealled Cisterns 12cm	"	९,४१५.००	९,४१५.००	९,४१५.००	
	Dual Flush Actuator Plate Shiny Chrome	"	३,७५५.००	३,७५५.००	३,७५५.००	
	Traps for Wash Basins	"	१,०३५.००	१,०३५.००	१,०३५.००	
	Sensor for Urinal 9V DC	"	२६,५३७.००	२६,५३७.००	२६,५३७.००	
	Sensor for Urinal 230V AC	"	२६,५३७.००	२६,५३७.००	२६,५३७.००	
	control box for urinal sensor	"	७,२९०.००	७,२९०.००	७,२९०.००	
	Sensor Faucet Cold / Mixed water 6V DC	"	३३,१२४.००	३३,१२४.००	३३,१२४.००	
	Sensor Faucet Cold / Mixed water 230V AC	"	३३,१२४.००	३३,१२४.००	३३,१२४.००	
22	PVC Lead Free White Pipes SCHEDULE 40		-	-	-	
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564		-	-	-	
	PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)	m.	-	-	-	
	1/2" dia. (42.19 Kg/cm2)	"	११८.००	११८.००	११८.००	
	3/4" dia. (33.75 Kg/cm2)	"	१५१.००	१५१.००	१५१.००	

[Handwritten signatures and initials]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	3 X 1-1/4	"	१,५६८.००	१,५६८.००	१,५६८.००	
	3 X 1-1/2	"	१,५६८.००	१,५६८.००	१,५६८.००	
	3 X 2	"	१,५६८.००	१,५६८.००	१,५६८.००	
	3 X 2-1/2	"	१,५६८.००	१,५६८.००	१,५६८.००	
	6 X 1-1/4	"	८,२४८.००	८,२४८.००	८,२४८.००	
	6 X 1-1/2	"	८,२४८.००	८,२४८.००	८,२४८.००	
	6 X 2	"	८,२४८.००	८,२४८.००	८,२४८.००	
	6 X 2-1/2	"	८,२४८.००	८,२४८.००	८,२४८.००	
	6 X 3	"	८,२४८.००	८,२४८.००	८,२४८.००	
	6 X 4	"	८,२४८.००	८,२४८.००	८,२४८.००	
	PVC Brass Tee - Soc x Flpt SCH 80	गोटा	-	-	-	
	1/2"	"	१६६.००	१६६.००	१६६.००	
	3/4"	"	३००.००	३००.००	३००.००	
	3/4" X 1/2"	"	२४४.००	२४४.००	२४४.००	
	1" X 1/2"	"	४३३.००	४३३.००	४३३.००	
	PVC 90° Elbow - Soc	गोटा	-	-	-	
	1/2"	"	२७.००	२७.००	२७.००	
	3/4"	"	३१.००	३१.००	३१.००	
	1"	"	५५.००	५५.००	५५.००	
	1-1/4"	"	९५.००	९५.००	९५.००	
	1-1/2"	"	११२.००	११२.००	११२.००	
	2"	"	१७२.००	१७२.००	१७२.००	
	2-1/2"	"	५११.००	५११.००	५११.००	
	3"	"	६१२.००	६१२.००	६१२.००	
	4"	"	१,२५२.००	१,२५२.००	१,२५२.००	
	6"	"	५,२७५.००	५,२७५.००	५,२७५.००	
	PVC Brass 90° Elbow Soc x Flpt SCH 80	गोटा	-	-	-	
	1/2"	"	१७८.००	१७८.००	१७८.००	
	3/4"	"	२४९.००	२४९.००	२४९.००	
	3/4" X 1/2"	"	२५८.००	२५८.००	२५८.००	
	PVC 45° Elbow - Soc	गोटा	-	-	-	
	1/2"	"	५७.००	५७.००	५७.००	
	3/4"	"	८८.००	८८.००	८८.००	
	1"	"	१०५.००	१०५.००	१०५.००	
	1-1/4"	"	१४७.००	१४७.००	१४७.००	
	1-1/2"	"	१८५.००	१८५.००	१८५.००	
	2"	"	२४९.००	२४९.००	२४९.००	
	2-1/2"	"	६८९.००	६८९.००	६८९.००	
	3"	"	१,०७१.००	१,०७१.००	१,०७१.००	
	4"	"	१,९२२.००	१,९२२.००	१,९२२.००	
	6"	"	५,२८९.००	५,२८९.००	५,२८९.००	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	PVC Female Adaptor - Soc x FBSP	गोटा	-	-	-	
	1/2"	"	६१.००	६१.००	६१.००	
	3/4"	"	६३.००	६३.००	६३.००	
	1"	"	६६.००	६६.००	६६.००	
	1-1/4"	"	१७१.००	१७१.००	१७१.००	
	1-1/2"	"	२५२.००	२५२.००	२५२.००	
	2"	"	२४५.००	२४५.००	२४५.००	
	PVC Brass Female Adapter - Soc x Fipt SCH 80	गोटा	-	-	-	
	1/2"	"	२२६.००	२२६.००	२२६.००	
	3/4"	"	३२१.००	३२१.००	३२१.००	
	1"	"	४११.००	४११.००	४११.००	
	PVC Ball Valve - Soc	गोटा	-	-	-	
	1/2"	"	९०८.००	९०८.००	९०८.००	
	3/4"	"	१,०७९.००	१,०७९.००	१,०७९.००	
	1"	"	१,५१०.००	१,५१०.००	१,५१०.००	
	1-1/4"	"	२,०४४.००	२,०४४.००	२,०४४.००	
	1-1/2"	"	३,११८.००	३,११८.००	३,११८.००	
	2"	"	३,९४३.००	३,९४३.००	३,९४३.००	
	2-1/2"	"	६,५१३.००	६,५१३.००	६,५१३.००	
	3"	"	१०,३१८.००	१०,३१८.००	१०,३१८.००	
	4"	"	१७,०५२.००	१७,०५२.००	१७,०५२.००	
	6"	"	३७,०४०.००	३७,०४०.००	३७,०४०.००	
	PVC Adhesive Solution (Med. Bonded 705)	गोटा	-	-	-	
	118ML	"	३१५.००	३१५.००	३१५.००	
	237ML	"	४५२.००	४५२.००	४५२.००	
	473ML	"	८१९.००	८१९.००	८१९.००	
	946ML	"	१,३४७.००	१,३४७.००	१,३४७.००	
	PVC Adhesive Solution (Heavy Bonded 717)	गोटा	-	-	-	
	118ML	"	५०७.००	५०७.००	५०७.००	
	237ML	"	६६८.००	६६८.००	६६८.००	
	473ML	"	१,१७२.००	१,१७२.००	१,१७२.००	
	946ML	"	२,०२८.००	२,०२८.००	२,०२८.००	
23	Rainwater Collection System sintex or Prince Brand Roof)		-	-	-	
	140 mm Dia.		-	-	-	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	१६४.००	१६४.००	१६४.००	
	JOINT BRACKET To connect two lengths of roof water	Pc.	२६४.००	२६४.००	२६४.००	

[Handwritten signatures and initials]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रु.) आ.व.			कीफियत
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	३६२.००	३६२.००	३६२.००	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	४४५.००	४४५.००	४४५.००	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	४४५.००	४४५.००	४४५.००	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	९८.००	९८.००	९८.००	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	३९४.००	३९४.००	३९४.००	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	७९.००	७९.००	७९.००	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	५२.००	५२.००	५२.००	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	३२.००	३२.००	३२.००	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	८०.००	८०.००	८०.००	
	RUBBER GASKET To provide leak proof joints.	Pc.	३९.००	३९.००	३९.००	
	75 mm dia.		-	-	-	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	६५.००	६५.००	६५.००	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	३९.००	३९.००	३९.००	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	९३०.००	९३०.००	९३०.००	
	180 mm dia.		-	-	-	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	३९९.००	३९९.००	३९९.००	

[Handwritten signatures and marks]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रु.) आ.व.			कैफियत
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	१९७.००	१९७.००	१९७.००	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	४४१.००	४४१.००	४४१.००	
			-	-	-	
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems		-	-	-	
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY		-	-	-	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	२५४.००	२५४.००	२५४.००	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	४४१.००	४४१.००	४४१.००	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	२७०.००	२७०.००	२७०.००	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	४८४.००	४८४.००	४८४.००	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	४६१.००	४६१.००	४६१.००	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	६९३.००	६९३.००	६९३.००	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	४८७.००	४८७.००	४८७.००	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	७१७.००	७१७.००	७१७.००	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	९८८.००	९८८.००	९८८.००	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	१,२३२.००	१,२३२.००	१,२३२.००	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	१,०५२.००	१,०५२.००	१,०५२.००	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	१,३९१.००	१,३९१.००	१,३९१.००	
			-	-	-	
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY		-	-	-	
	DWV Bend 45 Degree 75 mm size	pcs	१४४.००	१४४.००	१४४.००	
	DWV Bend 87.5 Degree	"	१८३.००	१८३.००	१८३.००	
	DWV Bend 87.5 Degree with Door	"	८४.००	८४.००	८४.००	
	DWV Socket Plug	"	१९५.००	१९५.००	१९५.००	
	DWV Cleansing Pipe	"	११७.००	११७.००	११७.००	
	DWV Coupler	"	२०८.००	२०८.००	२०८.००	
	DWV Single Tee	"	२२८.००	२२८.००	२२८.००	
	DWV Single Tee with Door	"	३६०.००	३६०.००	३६०.००	
	DWV Cross Tee	"	५०६.००	५०६.००	५०६.००	
	DWV Cross Tee with Door	"	३७२.००	३७२.००	३७२.००	
	DWV Double 'Y'	"	४९६.००	४९६.००	४९६.००	
	DWV Double 'Y' with Door	"	२३२.००	२३२.००	२३२.००	

[Handwritten signatures and marks]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	25mm x ¾"F	"	२८७.००	२८७.००	२८७.००	
	25mm x 1"F	"	३१५.००	३१५.००	३१५.००	
	32mm x ¾"F	"	३३९.००	३३९.००	३३९.००	
	32mm x 1"F	"	४२२.००	४२२.००	४२२.००	
	50mm x 1¼"F	"	२,१७८.००	२,१७८.००	२,१७८.००	
	h. Male Elbow		-	-	-	
	25mm x ¾"M	"	२३२.००	२३२.००	२३२.००	
	25mm x 1"M	"	३०१.००	३०१.००	३०१.००	
	32mm x ¾"M	"	२२८.००	२२८.००	२२८.००	
	32mm x 1"M	"	३८५.००	३८५.००	३८५.००	
	40mm x 1"M	"	१,२५१.००	१,२५१.००	१,२५१.००	
	50mm x 1"M	"	१,७८४.००	१,७८४.००	१,७८४.००	
	i. Equal Tee		-	-	-	
	½"ø (16mm ø)	गोटा	२३२.००	२३२.००	२३२.००	
	½"ø (18mm ø)	"	२६०.००	२६०.००	२६०.००	
	½"ø (20mm ø)	"	३२४.००	३२४.००	३२४.००	
	¾" ø (25 mm ø)	"	४६८.००	४६८.००	४६८.००	
	1" ø (32 mm ø)	"	७३२.००	७३२.००	७३२.००	
	1¼" ø (40 mm ø)	"	२,७३७.००	२,७३७.००	२,७३७.००	
	1½" ø (50 mm ø)	"	४,०००.००	४,०००.००	४,०००.००	
	j. Unequal Tee		-	-	-	
	20 mm x 16 mm x 20 mm	"	२०९.००	२०९.००	२०९.००	
	20 mm x 18 mm x 20 mm	"	२३२.००	२३२.००	२३२.००	
	25 mm x 16 mm x 25 mm	"	३४८.००	३४८.००	३४८.००	
	25 mm x 18 mm x 25 mm	"	३९४.००	३९४.००	३९४.००	
	25 mm x 20 mm x 25 mm	"	४०८.००	४०८.००	४०८.००	
	32 mm x 16 mm x 32 mm	"	६७२.००	६७२.००	६७२.००	
	32 mm x 18 mm x 32 mm	"	६९५.००	६९५.००	६९५.००	
	32 mm x 20 mm x 32 mm	"	७२३.००	७२३.००	७२३.००	
	32 mm x 25 mm x 32 mm	"	७४२.००	७४२.००	७४२.००	
	40 mm x 32 mm x 32 mm	"	२,०२५.००	२,०२५.००	२,०२५.००	
	40 mm x 32 mm x 40 mm	"	२,३४६.००	२,३४६.००	२,३४६.००	
	50 mm x 20 mm x 50 mm	"	३,१९८.००	३,१९८.००	३,१९८.००	
	50 mm x 32 mm x 32 mm	"	२,१०८.००	२,१०८.००	२,१०८.००	
	50 mm x 32 mm x 50 mm	"	३,२३१.००	३,२३१.००	३,२३१.००	
	50 mm x 40 mm x 40 mm	"	३,२४२.००	३,२४२.००	३,२४२.००	
	50 mm x 40 mm x 50 mm	"	३,७०२.००	३,७०२.००	३,७०२.००	
	k. Female Tee		-	-	-	
	16mm x ½"F x 16mm	गोटा	२३२.००	२३२.००	२३२.००	
	18mm x ½"F x 18mm	"	२४१.००	२४१.००	२४१.००	
	20mm x ½"F x 20mm	"	२६०.००	२६०.००	२६०.००	

Secretary

10/12

[Signature]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	1500 mm dia.	"	१८,४५०.००	१८,४५०.००	१८,४५०.००	
	b) NP-3		-	-	-	
	150 mm dia.	र.मि	१,२९१.००	१,२९१.००	१,३१०.००	
	200 mm dia.	"	१,७२०.००	१,७२०.००	१,७४५.००	
	250 mm dia.	"	२,१४९.००	२,१४९.००	२,१८५.००	
	300 mm dia.	"	३,०८८.००	३,०८८.००	३,१४०.००	
	350 mm dia.	"	३,४६४.००	३,४६४.००	३,५२०.००	
	375 mm dia.	"	३,७०२.००	३,७०२.००	३,७६०.००	
	400 mm dia.	"	३,९४८.००	३,९४८.००	४,०१०.००	
	450 mm dia.	"	४,४३२.००	४,४३२.००	४,५००.००	
	500 mm dia.	"	४,९४०.००	४,९४०.००	५,०२०.००	
	600 mm dia.	"	६,१०४.००	६,१०४.००	६,२००.००	
	700 mm dia.	"	७,३७२.००	७,३७२.००	७,४८५.००	
	750 mm dia.	"	८,४६७.००	८,४६७.००	८,६००.००	
	800 mm dia.	"	९,२४०.००	९,२४०.००	९,३८५.००	
	900 mm dia.	"	११,९८५.००	११,९८५.००	१२,१७२.००	
	1000 mm dia.	"	१३,३१२.००	१३,३१२.००	१३,५२५.००	
	1200 mm dia.	"	१५,८४७.००	१५,८४७.००	१६,१००.००	
	1500 mm dia.	"	२४,८९४.००	२४,८९४.००	२५,३००.००	
	R.C.C. Hume Pipe Collar		-	-	-	
	a) NP-2		-	-	-	
	150 mm dia.	गोटा	१६५.००	१६५.००	१६५.००	
	200 mm dia.	"	१९५.००	१९५.००	१९५.००	
	250 mm dia.	"	२४५.००	२४५.००	२४५.००	
	300 mm dia.	"	३३२.००	३३२.००	३३२.००	
	350 mm dia.	"	३६५.००	३६५.००	३६५.००	
	375 mm dia.	"	३६५.००	३६५.००	३६५.००	
	400 mm dia.	"	४६३.००	४६३.००	४६३.००	
	450 mm dia.	"	४९०.००	४९०.००	४९०.००	
	500 mm dia.	"	५५०.००	५५०.००	५५०.००	
	600 mm dia.	"	७६९.००	७६९.००	७६९.००	
	700 mm dia.	"	९४६.००	९४६.००	९४६.००	
	750 mm dia.	"	१,०२३.००	१,०२३.००	१,०२३.००	
	800 mm dia.	"	१,१४९.००	१,१४९.००	१,१४९.००	
	900 mm dia.	"	१,५४३.००	१,५४३.००	१,५४३.००	
	1000 mm dia.	"	१,७९९.००	१,७९९.००	१,७९९.००	
	1200 mm dia.	"	२,१९६.००	२,१९६.००	२,१९६.००	
	1500 mm dia.	"	४,६१५.००	४,६१५.००	४,६१५.००	
	b) NP-3		-	-	-	
	150 mm dia.	"	३२३.००	३२३.००	३२७.००	
	200 mm dia.	"	४२९.००	४२९.००	४३६.००	

[Handwritten signatures and initials]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व.	२०७७/०७८	२०७८/०७९	२०७९/०८०
	250 mm dia.	"	५३७.००	५३७.००	५४४.००	
	300 mm dia.	"	७७१.००	७७१.००	७८३.००	
	350 mm dia.		८६५.००	८६५.००	८७९.००	
	375 mm dia.		९२४.००	९२४.००	९४०.००	
	400 mm dia.	"	९८६.००	९८६.००	१,०००.००	
	450 mm dia.	"	१,१०७.००	१,१०७.००	१,१२५.००	
	500 mm dia.	"	१,२३४.००	१,२३४.००	१,२५५.००	
	600 mm dia.	"	१,५२६.००	१,५२६.००	१,५५०.००	
	700 mm dia.	"	१,८४३.००	१,८४३.००	१,८७१.००	
	750 mm dia.	"	२,११६.००	२,११६.००	२,१५०.००	
	800 mm dia.	"	२,३०९.००	२,३०९.००	२,३४४.००	
	900 mm dia.	"	२,९९६.००	२,९९६.००	३,०४२.००	
	1000 mm dia.	"	३,३२७.००	३,३२७.००	३,३८२.००	
	1200 mm dia.	"	३,९६१.००	३,९६१.००	४,०२४.००	
	1500 mm dia.	"	६,२२३.००	६,२२३.००	६,३३४.००	
	R.C.C.Spigot Pipes (Socket System)		-	-	-	
	a) NP-2		-	-	-	
	150 mm dia.	र.मि	७६६.००	७६६.००	७६६.००	
	200 mm dia.	"	९७६.००	९७६.००	९७६.००	
	250 mm dia.	"	१,२२१.००	१,२२१.००	१,२२१.००	
	300 mm dia.	"	१,६५६.००	१,६५६.००	१,६५६.००	
	350 mm dia.	"	२,००७.००	२,००७.००	२,००७.००	
	400 mm dia.	"	२,३००.००	२,३००.००	२,३००.००	
	450 mm dia.	"	२,४३८.००	२,४३८.००	२,४३८.००	
	500 mm dia.	"	२,७३६.००	२,७३६.००	२,७३६.००	
	600 mm dia.	"	३,६०८.००	३,६०८.००	३,६०८.००	
	700 mm dia.	"	४,७०९.००	४,७०९.००	४,७०९.००	
	750 mm dia.	"	५,०९०.००	५,०९०.००	५,०९०.००	
	800 mm dia.	"	५,६८४.००	५,६८४.००	५,६८४.००	
	900 mm dia.	"	७,३३९.००	७,३३९.००	७,३३९.००	
	1000 mm dia.	"	८,४८१.००	८,४८१.००	८,४८१.००	
	1200 mm dia.	"	१०,२७४.००	१०,२७४.००	१०,२७४.००	
	b) NP-3		-	-	-	
	150 mm dia.	र.मि	१,६०३.००	१,६०३.००	१,६०३.००	
	200 mm dia.	"	२,१३९.००	२,१३९.००	२,१३९.००	
	250 mm dia.	"	२,६७४.००	२,६७४.००	२,६७४.००	
	300 mm dia.	"	३,८४२.००	३,८४२.००	३,८४२.००	
	350 mm dia.	"	४,३१३.००	४,३१३.००	४,३१३.००	
	400 mm dia.	"	४,९१३.००	४,९१३.००	४,९१३.००	
	450 mm dia.	"	५,५१३.००	५,५१३.००	५,५१३.००	
	500 mm dia.	"	६,१४१.००	६,१४१.००	६,१४१.००	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) माहेक (रु.) को दर (रिट) आ.व.			कैफियत
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	600 mm dia.	"	७,५९२.००	७,५९२.००	७,५९२.००	
	700 mm dia.	"	९,१६९.००	९,१६९.००	९,१६९.००	
	800 mm dia.	"	११,४९३.००	११,४९३.००	११,४९३.००	
	900 mm dia.	"	१४,९०७.००	१४,९०७.००	१४,९०७.००	
	1000 mm dia.	"	१६,५६४.००	१६,५६४.००	१६,५६४.००	
	1200 mm dia.	"	१९,५०६.००	१९,५०६.००	१९,५०६.००	
	1500 mm dia.	"	३०,८३५.००	३०,८३५.००	३०,८३५.००	
	1600 mm dia.	"	३५,५६६.००	३५,५६६.००	३५,५६६.००	
	1800 mm dia.	"	४७,३३९.००	४७,३३९.००	४७,३३९.००	
27	High Density Polythene Pipe NS-40		-	-	-	
	Pipes of different sizes, series & pressure	Kg	२८१.००	२८१.००	२८७.००	
	HDP Pipe					
27.1	2.5Kg/cm ² Series II					
	63 mm (0.403 Avg.wt. Kg/m)	Rm	११३.२०	११३.२०	११३.२०	
	75 mm (0.557 Avg.wt Kg/m)	"	१५६.४६	१५६.४६	१५६.४६	
	90 mm (0.799 Avg.wt Kg/m)	"	२२४.४३	२२४.४३	२२४.४३	
	110 mm (1.185 Avg.wt Kg/m)	"	३३२.८६	३३२.८६	३३२.८६	
	125 mm (1.530 Avg.wt Kg/m)	"	४२९.७८	४२९.७८	४२९.७८	
	140 mm (1.897 Avg.wt Kg/m)	"	५३२.८६	५३२.८६	५३२.८६	
	160 mm (2.453 Avg.wt Kg/m)	"	६८९.०४	६८९.०४	६८९.०४	
	180 mm (3.148 Avg.wt Kg/m)	"	८८४.२७	८८४.२७	८८४.२७	
	200 mm (3.875 Avg.wt Kg/m)	"	१,०८८.४८	१,०८८.४८	१,०८८.४८	
	225 mm (4.822 Avg.wt Kg/m)	"	१,३५४.५०	१,३५४.५०	१,३५४.५०	
	250 mm (6.012 Avg.wt Kg/m)	"	१,६८८.७७	१,६८८.७७	१,६८८.७७	
	280 mm (7.471 Avg.wt Kg/m)	"	२,०९८.६०	२,०९८.६०	२,०९८.६०	
	315 mm (9.417 Avg.wt Kg/m)	"	२,६६०.४०	२,६६०.४०	२,६६०.४०	
	355 mm (11.957 Avg.wt Kg/m)	"	३,३५८.७२	३,३५८.७२	३,३५८.७२	
	400 mm (15.221 Avg.wt Kg/m)	"	४,२७५.५७	४,२७५.५७	४,२७५.५७	
	450 mm (19.163 Avg.wt Kg/m)	"	५,४८४.४५	५,४८४.४५	५,४८४.४५	
	500 mm (23.836 Avg.wt Kg/m)	"	६,८२१.८६	६,८२१.८६	६,८२१.८६	
27.2	4 Kg/cm ² Series III		-	-	-	
	40 mm (0.251 Avg.wt Kg/m)	Rm	७०.५०	७०.५०	७०.५०	
	50 mm (0.378 Avg.wt Kg/m)	"	१०६.१८	१०६.१८	१०६.१८	
	63 mm (0.585 Avg.wt Kg/m)	"	१६४.३२	१६४.३२	१६४.३२	
	75 mm (0.846 Avg.wt Kg/m)	"	२३७.६४	२३७.६४	२३७.६४	
	90 mm (1.220 Avg.wt Kg/m)	"	३४२.७०	३४२.७०	३४२.७०	
	110 mm (1.703 Avg.wt Kg/m)	"	४७८.३७	४७८.३७	४७८.३७	
	125 mm (2.289 Avg.wt Kg/m)	"	६४२.९७	६४२.९७	६४२.९७	
	140 mm (2.901 Avg.wt Kg/m)	"	८१४.८९	८१४.८९	८१४.८९	
	160 mm (3.773 Avg.wt Kg/m)	"	१,०५९.८३	१,०५९.८३	१,०५९.८३	
	180 mm (4.762 Avg.wt Kg/m)	"	१,३३७.६५	१,३३७.६५	१,३३७.६५	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	63 mm (1.496 Avg.wt Kg/m)	mm			३४२.६३	
	75 mm (2.126 Avg.wt Kg/m)	"			४८१.१४	
	90 mm (3.061 Avg.wt Kg/m)	"			६९३.३६	
	110 mm (4.523 Avg.wt Kg/m)	"			१,२२१.२१	
	125 mm (5.875 Avg.wt Kg/m)	"			१,३३९.७४	
	140 mm (7.37 Avg.wt Kg/m)	"			१,६७६.४३	
	160 mm (8.113 Avg.wt Kg/m)	"			२,१८१.३३	
	180 mm (10.230 Avg.wt Kg/m)	"			२,७६९.१२	
	200 mm (12.630 Avg.wt Kg/m)	"			३,३८०.४०	
	250 mm (19.707 Avg.wt Kg/m)	"			६,२८३.१७	
	110mm HDPE OD Flange	"			२,७७५.००	
	250mm HDPE OD Flange	"			११,७४७.००	
28	UPVC (Pipe NS 206/046					
28.1	A) pipe 2.5 kg /cm ² pressure					
	a) 90 mm	र.मी	१४१.००	१४१.००	१४१.००	
	b) 110 mm	"	२११.००	२११.००	२११.००	
	c) 125 mm	"	२६८.००	२६८.००	२६८.००	
	d) 140 mm	"	३३१.००	३३१.००	३३१.००	
	e) 160 mm	"	४३२.००	४३२.००	४३२.००	
	f) 180 mm	"	५५३.००	५५३.००	५५३.००	
	g) 200 mm	"	६७६.००	६७६.००	६७६.००	
28.2	B) UPVC Pipe 4 kg / cm ²		-	-	-	
	a) 63mm	र.मी	११२.००	११२.००	११२.००	
	b) 75 mm	"	१५५.००	१५५.००	१५५.००	
	c) 90 mm	"	२२१.००	२२१.००	२२१.००	
	d) 110 mm	"	३०४.००	३०४.००	३०४.००	
	e) 125 mm	"	४१८.००	४१८.००	४१८.००	
	f) 140 mm	"	५३१.००	५३१.००	५३१.००	
	g) 160 mm	"	६८७.००	६८७.००	६८७.००	
	h) 180 mm	"	८८३.००	८८३.००	८८३.००	
	i) 200 mm	"	१,०७२.००	१,०७२.००	१,०७२.००	
28.3	C) UPVC Pipe 6 Kg/ cm ² pressure		-	-	-	
	a) 40 mm	र.मी	६६.००	६६.००	६६.००	
	b) 50 mm	"	१००.००	१००.००	१००.००	
	c) 63 mm	"	१६०.००	१६०.००	१६०.००	
	d) 75 mm	"	२२३.००	२२३.००	२२३.००	
	e) 90 mm	"	३२२.००	३२२.००	३२२.००	
	f) 110 mm	"	४६६.००	४६६.००	४६६.००	
	g) 125 mm	"	६२०.००	६२०.००	६२०.००	
	h) 140 mm	"	७७२.००	७७२.००	७७२.००	
	i) 160 mm	"	९८९.००	९८९.००	९८९.००	

Signature

Signature

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रु.) आ.व.			कैफियत
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	j) 180 mm	र.मी	१,२६२.००	१,२६२.००	१,२६२.००	
	k) 200 mm	"	१,५४५.००	१,५४५.००	१,५४५.००	
28.4	C) UPVC Pipe 10 Kg/ cm ² pressure		-	-	-	
	a) 20 mm	र.मी	२६.००	२६.००	२६.००	
	b) 25 mm	"	४०.००	४०.००	४०.००	
	c) 32mm	"	६६.००	६६.००	६६.००	
	a) 40 mm	"	९९.००	९९.००	९९.००	
	b) 50 mm	"	१५६.००	१५६.००	१५६.००	
	c) 63 mm	"	२४८.००	२४८.००	२४८.००	
	d) 75 mm	"	३३५.००	३३५.००	३३५.००	
	e) 90 mm	"	५०४.००	५०४.००	५०४.००	
	f) 110 mm	"	७४७.००	७४७.००	७४७.००	
	g) 125 mm	"	९५७.००	९५७.००	९५७.००	
	h) 140 mm	"	१,२०८.००	१,२०८.००	१,२०८.००	
	i) 160 mm	"	१,५५४.००	१,५५४.००	१,५५४.००	
	j) 180 mm	"	१,९८९.००	१,९८९.००	१,९८९.००	
	k) 200 mm	"	२,४४९.००	२,४४९.००	२,४४९.००	
28.5	UPVC fittings :		-	-	-	
	Coupler		-	-	-	
	50 mm	गोटा	३२.००	३२.००	३२.००	
	75 mm	"	७७.००	७७.००	७७.००	
	110 mm	"	१३९.००	१३९.००	१३९.००	
	Bend 87.5 degree		-	-	-	
	50 mm	गोटा	४७.००	४७.००	४७.००	
	75 mm	"	११२.००	११२.००	११२.००	
	110 mm	"	२०६.००	२०६.००	२०६.००	
	Bend 45 degree		-	-	-	
	50 mm	गोटा	४६.००	४६.००	४६.००	
	75 mm	"	९९.००	९९.००	९९.००	
	110 mm	"	१६३.००	१६३.००	१६३.००	
	Single Tee		-	-	-	
	50 mm	गोटा	७०.००	७०.००	७०.००	
	75 mm	"	१५९.००	१५९.००	१५९.००	
	110 mm	"	२८७.००	२८७.००	२८७.००	
	Pipe clip		-	-	-	
	50 mm	गोटा	१५.००	१५.००	१५.००	
	75 mm	"	२९.००	२९.००	२९.००	
	110 mm	"	३८.००	३८.००	३८.००	
	Bend 87.5 degree with door		-	-	-	
	75 mm	गोटा	१४३.००	१४३.००	१४३.००	
	110 mm	"	२४९.००	२४९.००	२४९.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	Single Tee with door		-	-	-	
	75 mm	गोटा	२०४.००	२०४.००	२०४.००	
	110 mm	"	३८०.००	३८०.००	३८०.००	
			-	-	-	
	Double Tee		-	-	-	
	75 mm	गोटा	३३२.००	३३२.००	३३२.००	
	110 mm	"	५२५.००	५२५.००	५२५.००	
	Double Tee with door		-	-	-	
	75 mm	गोटा	४४०.००	४४०.००	४४०.००	
	110 mm	"	६८२.००	६८२.००	६८२.००	
	Vent cowl		-	-	-	
	75 mm	गोटा	५४.००	५४.००	५४.००	
	110 mm	"	९०.००	९०.००	९०.००	
	Socket plug		-	-	-	
	75 mm	गोटा	६८.००	६८.००	६८.००	
	110 mm	"	१११.००	१११.००	१११.००	
	Single "Y"		-	-	-	
	75 mm	गोटा	१७३.००	१७३.००	१७३.००	
	110 mm	"	३७४.००	३७४.००	३७४.००	
	Single "Y" with door		-	-	-	
	75 mm	गोटा	२३७.००	२३७.००	२३७.००	
	110 mm	"	४५१.००	४५१.००	४५१.००	
	Double "Y"		-	-	-	
	75 mm	गोटा	२६१.००	२६१.००	२६१.००	
	110 mm	"	५१४.००	५१४.००	५१४.००	
	Double "Y" with door		-	-	-	
	75 mm	गोटा	३३४.००	३३४.००	३३४.००	
	110 mm	"	५३९.००	५३९.००	५३९.००	
	Cleaning pipe		-	-	-	
	75 mm	"	१५२.००	१५२.००	१५२.००	
	110 mm	"	२९३.००	२९३.००	२९३.००	
	Reducer		-	-	-	
	110x 75 mm	"	१३५.००	१३५.००	१३५.००	
	75X50 mm	"	७१.००	७१.००	७१.००	
	P -Trap		-	-	-	
	125mmx110mm	"	५५५.००	५५५.००	५५५.००	
	110mmx110mm	"	५२१.००	५२१.००	५२१.००	
	75mmx75mm	"	१९९.००	१९९.००	१९९.००	
	Multi-Floor -Trap		-	-	-	
	110mmx75mm	"	२८८.००	२८८.००	२८८.००	
	Nahani-Trap		-	-	-	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
	110mmx75mm	"	२६३.००	२६३.००	२६३.००	
	W.C. Connector (bent type)	"	२६९.००	२६९.००	२६९.००	
	Square tile with jali	"	८६.००	८६.००	८६.००	
	Round jali	"	४०.००	४०.००	४०.००	
	End cap 50mm	"	२६.००	२६.००	२६.००	
29.0	G.I Pipe threaded , 6 m. length With Cap		-	-	-	
	a) Light class		-	-	-	
	i. ½" (15 mm)	र.मी	१५२.००	१५२.००	१७०.००	
	ii. ¾" (20 mm)	"	२०८.००	२०८.००	२३२.००	
	iii. 1" (25 mm)	"	२८८.००	२८८.००	३२२.००	
	iv. 1 ¼" (32 mm)	"	३६९.००	३६९.००	४११.००	
	v. 1 ½" (40 mm)	"	४५५.००	४५५.००	५०८.००	
	vi. 2" (50 mm)	"	५७५.००	५७५.००	६४१.००	
	vii. 2 ½" (65 mm)	"	७९३.००	७९३.००	८८५.००	
	viii. 3" (80 mm)	"	९३०.००	९३०.००	१,०३८.००	
	ix. 4" (100 mm)	"	१,३३०.००	१,३३०.००	१,४८५.००	
	x. 5" (125 mm)	"	२,१२९.००	२,१२९.००	२,३७७.००	
	xi. 6" (150 mm)	"	२,५२९.००	२,५२९.००	२,८२३.००	
	xii. 8" (200 mm)	"	३,६२९.००	३,६२९.००	४,०५१.००	
	b) Medium class		-	-	-	
	i. ½" (15 mm)	र.मी	१७६.००	१७६.००	१८१.००	
	ii. ¾" (20 mm)	"	२२७.००	२२७.००	२२५.००	
	iii. 1" (25 mm)	"	३३८.००	३३८.००	३४४.००	
	iv. 1 ¼" (32 mm)	"	४३९.००	४३९.००	४४७.००	
	v. 1 ½" (40 mm)	र.मि	५०५.००	५०५.००	५१४.००	
	vi. 2" (50 mm)	"	६९०.००	६९०.००	७०६.००	
	vii. 2 ½" (65 mm)	"	८८१.००	८८१.००	९०१.००	
	viii. 3" (80 mm)	"	१,०९२.००	१,०९२.००	१,१२२.००	
	ix. 4" (100 mm)	"	१,६२०.००	१,६२०.००	१,६८०.००	
	x. 5" (125 mm)	"	२,२४५.००	२,२४५.००	२,१९६.००	
	xi. 6" (150 mm)	"	२,७१२.००	२,७१२.००	२,६५६.००	
	xii. 8" (200 mm)	"	४,१२३.००	४,१२३.००	४,५९६.००	
	c) Heavy duty		-	-	-	
	i. ½" (15 mm)	र.मि	२०९.००	२०९.००	२१२.००	
	ii. ¾" (20 mm)	"	२६४.००	२६४.००	२६५.००	
	iii. 1" (25 mm)	"	३९५.००	३९५.००	३९६.००	
	iv. 1 ¼" (32 mm)	"	५०५.००	५०५.००	४६८.००	
	v. 1 ½" (40 mm)	"	५८२.००	५८२.००	५९३.००	
	vi. 2" (50 mm)	"	८४८.००	८४८.००	८७२.००	
	vii. 2 ½" (65 mm)	"	१,०६३.००	१,०६३.००	९९२.००	
	viii. 3" (80 mm)	"	१,२५१.००	१,२५१.००	१,२८५.००	

Sanitary. 9/10/12

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
ii.	¾"	"	१३१.००	१३१.००	१०४.००	
iii.	१"	"	१९१.००	१९१.००	१४२.००	
iv.	१ ¼"	"	३०५.००	३०५.००	२१९.००	
v.	१ ½ "	"	४२२.००	४२२.००	२८२.००	
vi.	२"	"	६९१.००	६९१.००	४९२.००	
vii.	२ ½ "	"	१,०८६.००	१,०८६.००	८२८.००	
viii.	३"	"	१,४६७.००	१,४६७.००	१,१८७.००	
ix.	४"	"	२,६६५.००	२,६६५.००	१,९५३.००	
x.	५"	"	७,३७५.००	७,३७५.००	२,४६५.००	
xi.	६"	"	८,५४७.००	८,५४७.००	२,९६०.००	
e) G.I Union			-	-	-	
i.	½ "	गोटा	१७४.००	१७४.००	११३.००	
ii.	¾"	"	२४५.००	२४५.००	१५३.००	
iii.	१"	"	३५९.००	३५९.००	२१०.००	
iv.	१ ¼"	"	४९४.००	४९४.००	३२९.००	
v.	१ ½ "	"	६१२.००	६१२.००	४०१.००	
vi.	२"	"	९११.००	९११.००	६११.००	
vii.	२ ½ "	"	१,८६२.००	१,८६२.००	१,१३८.००	
viii.	३"	"	२,५०९.००	२,५०९.००	१,५८६.००	
ix.	४"	"	३,३०६.००	३,३०६.००	२,२०५.००	
x.	५"	"	७,३७५.००	७,३७५.००	२,७७०.००	
xi.	६"	"	८,९२३.००	८,९२३.००	३,०२४.००	
f) G.I. Socket			-	-	-	
i.	½ "	गोटा	४८.००	४८.००	३८.००	
ii.	¾"	"	७५.००	७५.००	५७.००	
iii.	१"	"	१०३.००	१०३.००	७५.००	
iv.	१ ¼"	"	१५९.००	१५९.००	११५.००	
v.	१ ½ "	"	२१४.००	२१४.००	१४४.००	
vi.	२"	"	३१५.००	३१५.००	२४१.००	
vii.	२ ½ "	"	५७१.००	५७१.००	५७१.००	
viii.	३"	"	८४२.००	८४२.००	५८६.००	
ix.	४"	"	१,४५७.००	१,४५७.००	९५१.००	
x.	५"	"	३,६४०.००	३,६४०.००	१,१४०.००	
xi.	६"	"	४,८९५.००	४,८९५.००	१,३६८.००	
g) C.I. Plug			-	-	-	
i.	½ "	गोटा	३१.००	३१.००	३०.००	
ii.	¾"	"	४१.००	४१.००	४०.००	
iii.	१"	"	५०.००	५०.००	४९.००	
iv.	१ ¼"	"	१०१.००	१०१.००	९८.००	
v.	१ ½ "	"	१२८.००	१२८.००	१२४.००	
vi.	२"	"	१५३.००	१५३.००	१४९.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रु.)			कैफियत
			आ.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
vii.	2 ½ "	"	२२०.००	२२०.००	२१४.००	
viii.	3"	"	४५०.००	४५०.००	४३७.००	
ix.	4"	"	८६३.००	८६३.००	८३८.००	
h) Hex Nipple			-	-	-	
i.	½ "	गोटा	५८.००	५८.००	५६.००	
ii.	¾"	"	८९.००	८९.००	८६.००	
iii.	1"	"	१४३.००	१४३.००	१३९.००	
iv.	1 ¼"	"	२२४.००	२२४.००	२१७.००	
v.	1 ½ "	"	२८३.००	२८३.००	२७५.००	
vi.	2"	"	४२१.००	४२१.००	४०९.००	
vii.	2 ½ "	"	७७३.००	७७३.००	७५०.००	
viii.	3"	"	९९७.००	९९७.००	९६८.००	
ix.	4"	"	१,५२९.००	१,५२९.००	१,४८४.००	
i) Reducing Tee			-	-	-	
i.	¾"	गोटा	१४३.००	१४३.००	१२०.००	
ii.	1"	"	२१०.००	२१०.००	१४८.००	
iii.	1 ¼"	"	३३५.००	३३५.००	१६२.००	
iv.	1 ½ "	"	४६५.००	४६५.००	३२५.००	
v.	2"	"	७५९.००	७५९.००	५१७.००	
vi.	2 ½ "	"	१,१९५.००	१,१९५.००	९१८.००	
vii.	3"	"	१,६१५.००	१,६१५.००	१,४५०.००	
viii.	4"	"	२,९५२.००	२,९५२.००	२,७५०.००	
x.	5"	"	८,१२१.००	८,१२१.००	३,३००.००	
xi.	6"	"	९,४००.००	९,४००.००	३,९८०.००	
i) Reducing Elbow			-	-	-	
i.	¾"	गोटा	१०६.००	१०६.००	१०३.००	
ii.	1"	"	१६५.००	१६५.००	१६०.००	
iii.	1 ¼"	"	२५१.००	२५१.००	२४४.००	
iv.	1 ½ "	"	३५२.००	३५२.००	३४२.००	
v.	2"	"	५२६.००	५२६.००	५११.००	
vi.	2 ½ "	"	९०९.००	९०९.००	८८३.००	
vii.	3"	"	१,४०२.००	१,४०२.००	१,०००.००	
viii.	4"	"	२,४८२.००	२,४८२.००	२,४१०.००	
x.	5"	"	६,०५४.००	६,०५४.००	५,८७८.००	
xi.	6"	"	७,२८५.००	७,२८५.००	७,०७३.००	
j) Reducing socket			-	-	-	
i.	¾"	गोटा	८२.००	८२.००	८०.००	
ii.	1"	"	१११.००	१११.००	१००.००	
iii.	1 ¼"	"	१७३.००	१७३.००	१५०.००	
iv.	1 ½ "	"	२३३.००	२३३.००	२१०.००	
v.	2"	"	३४७.००	३४७.००	३२०.००	

Signature

Signature

Signature

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रु.) आ.व.			कैफियत
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
vi.	2 ½ "	"	६२०.००	६२०.००	४५०.००	
vii.	3"	"	८८६.००	८८६.००	७२०.००	
viii.	4"	"	१,५९९.००	१,५९९.००	१,१४०.००	
x.	5"	"	४,५६९.००	४,५६९.००	१,३६८.००	
xi.	6"	"	५,३७२.००	५,३७२.००	१,४८२.००	
K) Short bend			-	-	-	
i.	½ "	गोटा	१४३.००	१४३.००	१३०.००	
ii.	¾"	"	२२०.००	२२०.००	१५०.००	
iii.	1"	"	३३८.००	३३८.००	१९०.००	
iv.	1 ¼"	"	६४९.००	६४९.००	२९०.००	
v.	1 ½ "	"	९८१.००	९८१.००	४००.००	
vi.	2"	"	१,४३५.००	१,४३५.००	५८०.००	
vii.	2 ½ "	"	३,६८३.००	३,६८३.००	१,५००.००	
viii.	3"	"	५,७१०.००	५,७१०.००	१,८००.००	
ix.	4"	"	८,०९१.००	८,०९१.००	२,५००.००	
D) Cross Tee			-	-	-	
i.	½ "	गोटा	१३५.००	१३५.००	१३१.००	
ii.	¾"	"	१९२.००	१९२.००	१८६.००	
iii.	1"	"	३०२.००	३०२.००	२९३.००	
iv.	1 ¼"	"	५२४.००	५२४.००	५०९.००	
v.	1 ½ "	"	६२९.००	६२९.००	६११.००	
vi.	2"	"	१,०२०.००	१,०२०.००	९५०.००	
vii.	2 ½ "	"	१,७२०.००	१,७२०.००	१,६७०.००	
viii.	3"	"	२,४९३.००	२,४९३.००	२,४२०.००	
ix.	4"	"	३,३६६.००	३,३६६.००	३,२६८.००	
M) Tanki nipple			-	-	-	
i.	½ "	गोटा	१५९.००	१५९.००	१५४.००	
ii.	¾"	"	२२०.००	२२०.००	२१४.००	
iii.	1"	"	३२९.००	३२९.००	३१९.००	
iv.	1 ¼"	"	४९४.००	४९४.००	४८०.००	
v.	1 ½ "	"	६२९.००	६२९.००	६११.००	
vi.	2"	"	१,०२०.००	१,०२०.००	९९०.००	
vii.	2 ½ "	"	१,९६३.००	१,९६३.००	१,९००.००	
viii.	3"	"	२,६१४.००	२,६१४.००	२,५३८.००	
ix.	4"	"	३,४६८.००	३,४६८.००	३,१६७.००	
G.I. Nipple Medium Class ISI or NS			-	-	-	
2" Long			-	-	-	
i.	½ "	गोटा	२६.००	२६.००	२२.००	
ii.	¾"	"	३८.००	३८.००	३४.००	
iii.	1"	"	५२.००	५२.००	४४.००	
iv.	1 ¼"	"	७०.००	७०.००	५७.००	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
v.	1 ½ "	"	८५.००	८५.००	७१.००	
vi.	2"	"	१३१.००	१३१.००	१३१.००	
	3" Long		-	-	-	
i.	½ "	गोटा	३८.००	३८.००	३४.००	
ii.	¾"	"	५८.००	५८.००	४७.००	
iii.	1"	"	७८.००	७८.००	६६.००	
iv.	1 ¼"	"	१०५.००	१०५.००	८५.००	
v.	1 ½ "	"	१३०.००	१३०.००	१०६.००	
vi.	2"	"	१९४.००	१९४.००	१३४.००	
vii.	2 ½ "	"	२६७.००	२६७.००	१८६.००	
viii.	3"	"	३८९.००	३८९.००	२२०.००	
	4" Long		-	-	-	
i.	½ "	गोटा	५२.००	५२.००	४५.००	
ii.	¾"	"	७६.००	७६.००	६३.००	
iii.	1"	"	१०४.००	१०४.००	८८.००	
iv.	1 ¼"	"	१४०.००	१४०.००	११३.००	
v.	1 ½ "	"	१७१.००	१७१.००	१४२.००	
vi.	2"	"	२६१.००	२६१.००	१७९.००	
vii.	2 ½ "	"	३५७.००	३५७.००	२४८.००	
viii.	3"	"	५२०.००	५२०.००	२०४.००	
ix.	4"	"	६६८.००	६६८.००	४२२.००	
	6" Long		-	-	-	
i.	½ "	गोटा	७८.००	७८.००	६८.००	
ii.	¾"	"	११६.००	११६.००	९४.००	
iii.	1"	"	१५६.००	१५६.००	१२२.००	
iv.	1 ¼"	"	२११.००	२११.००	१३२.००	
v.	1 ½ "	"	२६१.००	२६१.००	१७०.००	
vi.	2"	"	३९०.००	३९०.००	२६९.००	
vii.	2 ½ "	"	५३४.००	५३४.००	३७३.००	
viii.	3"	"	७६४.००	७६४.००	४३९.००	
ix.	4"	"	९४५.००	९४५.००	६३३.००	
	9" Long		-	-	-	
i.	½ "	गोटा	११६.००	११६.००	६८.००	
ii.	¾"	"	१७२.००	१७२.००	९४.००	
iii.	1"	"	२०८.००	२०८.००	१२२.००	
iv.	1 ¼"	"	३१६.००	३१६.००	१३२.००	
v.	1 ½ "	"	४२५.००	४२५.००	१७०.००	
vi.	2"	"	५८६.००	५८६.००	२६०.००	
vii.	2 ½ "	"	७९१.००	७९१.००	३७३.००	
viii.	3"	"	१,१७०.००	१,१७०.००	४३९.००	
ix.	4"	"	५,०१७.००	५,०१७.००	६३३.००	

Signature

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रट)			कैफियत
			आ.व.			
			२०७३/०७८	२०७८/०७९	२०७९/०८०	
	12" Long		-	-	-	
i.	1/2 "	गोटा	१५६.००	१५६.००	१३६.००	
ii.	3/4 "	"	२२८.००	२२८.००	१८९.००	
iii.	1 "	"	२५९.००	२५९.००	२६५.००	
iv.	1 1/4 "	"	४२२.००	४२२.००	३४०.००	
v.	1 1/2 "	"	५२०.००	५२०.००	४२५.००	
vi.	2 "	"	७८०.००	७८०.००	५०७.००	
vii.	2 1/2 "	"	१,०५३.००	१,०५३.००	७४६.००	
viii.	3 "	"	१,५५९.००	१,५५९.००	८७७.००	
ix.	4 "	"	१,८६२.००	१,८६२.००	१,२६६.००	
	18" Long		-	-	-	
i.	1/2 "	गोटा	२३४.००	२३४.००	२२७.००	
ii.	3/4 "	"	२८८.००	२८८.००	२८०.००	
iii.	1 "	"	३८९.००	३८९.००	३७८.००	
iv.	1 1/4 "	"	६३२.००	६३२.००	६१४.००	
v.	1 1/2 "	"	७७८.००	७७८.००	७५५.००	
vi.	2 "	"	१,१७०.००	१,१७०.००	१,१३६.००	
vii.	2 1/2 "	"	१,५८२.००	१,५८२.००	१,५३६.००	
viii.	3 "	"	२,३१६.००	२,३१६.००	२,२४९.००	
ix.	4 "	"	२,८२५.००	२,८२५.००	२,७४३.००	
	G.I./G.I. Flange		-	-	-	
i.	1 1/4 "	गोटा	९९३.००	९९३.००	९६४.००	
ii.	1 1/2 "	"	१,२२२.००	१,२२२.००	१,१८६.००	
iii.	2 "	"	१,४९७.००	१,४९७.००	१,४५३.००	
iv.	2 1/2 "	"	१,७५०.००	१,७५०.००	१,६९९.००	
v.	3 "	"	१,९४९.००	१,९४९.००	१,८९२.००	
vi.	4 "	"	२,४१८.००	२,४१८.००	२,३४८.००	
vii.	5 "	"	३,४५९.००	३,४५९.००	३,३५८.००	
viii.	6 "	"	३,५९३.००	३,५९३.००	३,४८८.००	
ix.	8 "	"	७,१५६.००	७,१५६.००	६,९४८.००	
	G.I./HDP Flange		-	-	-	
i.	1 1/4 "	गोटा	१,०६९.००	१,०६९.००	१,०३८.००	
ii.	1 1/2 "	"	१,३६२.००	१,३६२.००	१,३२२.००	
iii.	2 "	"	१,६०९.००	१,६०९.००	१,५६२.००	
iv.	2 1/2 "	"	१,८७९.००	१,८७९.००	१,८२४.००	
v.	3 "	"	२,००९.००	२,००९.००	१,९५०.००	
vi.	4 "	"	२,४७८.००	२,४७८.००	२,४०६.००	
vii.	5 "	"	३,४५९.००	३,४५९.००	३,३५८.००	
viii.	6 "	"	३,६१०.००	३,६१०.००	३,५०५.००	
ix.	8 "	"	७,८५६.००	७,८५६.००	७,६२७.००	
	HDP/HDP Flange set with adaptor		-	-	-	

[Handwritten signatures and initials]

श्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व.			
			२०७७/०७८	२०७८/०७९	२०७९/०८०	
i.	1 ¼"	गोटा	१,०६९.००	१,०६९.००	१,०३८.००	
ii.	1 ½ "	"	१,३६२.००	१,३६२.००	१,३२२.००	
iii.	2"	"	१,६०९.००	१,६०९.००	१,५६२.००	
iv.	2 ½ "	"	१,८७९.००	१,८७९.००	१,८२४.००	
v.	3"	"	२,००९.००	२,००९.००	१,९५०.००	
vi.	4"	"	२,४७८.००	२,४७८.००	२,४००.००	
vii.	5"	"	३,९२८.००	३,९२८.००	३,८१४.००	
viii.	6"	"	३,६१०.००	३,६१०.००	३,५०५.००	
ix.	8"	"	७,८५६.००	७,८५६.००	७,६२७.००	
Brass tap ½"			-	-	-	
i.	½ " (Wt. 400 gm)	गोटा	९३३.००	९३३.००	७५०.००	
ii.	½ " ordinary	गोटा	२११.००	२११.००	२०५.००	
Globe Valve (GM)			-	-	-	
i.	½ "	गोटा	९५२.००	९५२.००	९२४.००	
ii.	¾"	"	१,५५०.००	१,५५०.००	१,५०५.००	
iii.	1"	"	१,९१५.००	१,९१५.००	१,८५९.००	
iv.	1 ¼"	"	३,०४२.००	३,०४२.००	२,९५३.००	
v.	1 ½ "	"	३,८२७.००	३,८२७.००	३,७१६.००	
vi.	2"	"	४,७७९.००	४,७७९.००	४,६४०.००	
vii.	2 ½ "	"	९,३८७.००	९,३८७.००	९,११४.००	
viii.	3"	"	१५,५१२.००	१५,५१२.००	१५,०६०.००	
ix.	4"	"	२५,०८१.००	२५,०८१.००	२४,०५०.००	
Float Valve			-	-	-	
i.	½ "	गोटा	१,१६८.००	१,१६८.००	१,१३४.००	
ii.	¾"	"	१,३२१.००	१,३२१.००	१,२८३.००	
iii.	1"	"	१,६०३.००	१,६०३.००	१,५५६.००	
iv.	1 ¼"	"	२,७७१.००	२,७७१.००	२,६९०.००	
v.	1 ½ "	"	४,१६३.००	४,१६३.००	४,०४२.००	
vi.	2"	"	५,५४२.००	५,५४२.००	५,३८१.००	
C.I. Air valve (Heavy)			-	-	-	
i.	½ "	गोटा	३,८६९.००	३,८६९.००	२,५००.००	
ii.	¾"	"	५,३३७.००	५,३३७.००	५,१८२.००	
iii.	1"	"	५,९१८.००	५,९१८.००	५,७४६.००	
Brass Union with Adopter			-	-	-	
i.	½ "	गोटा	२५२.००	२५२.००	१५०.००	
ii.	¾"	"	३८८.००	३८८.००	२७०.००	
iii.	1"	"	५८७.००	५८७.००	३४५.००	
iv.	1 ¼"	"	७६४.००	७६४.००	५३०.००	
v.	1 ½ "	"	१,३६२.००	१,३६२.००	६७५.००	
vi.	2"	"	२,०२०.००	२,०२०.००	९४०.००	
Saddle Ferrule			-	-	-	

Handwritten signatures and initials are present below the table.

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			क्षेत्रफल
			आ.व.			
			२०७३/०७८	२०७८/०७९	२०७९/०८०	
i.	1 ½ "	गोटा	३६५.००	३६५.००	१८५.००	
ii.	2"	"	४८२.००	४८२.००	२४२.००	
iii.	2 ½ "	"	१,३४५.००	१,३४५.००	२९२.००	
iv.	3"	"	१,७७९.००	१,७७९.००	३०१.००	
v.	4"	"	२,५३६.००	२,५३६.००	४८०.००	
Flow Regulating Valve (G.M.)			-	-	-	
i.	½"	गोटा	१,३६२.००	१,३६२.००	१,३२२.००	
C.I Sluice Valve			-	-	-	
i.	1 ½ "	गोटा	७,०५१.००	७,०५१.००	६,८६४.००	
ii.	2"	"	९,४०६.००	९,४०६.००	७,०००.००	
iii.	2 ½ "	"	११,७४८.००	११,७४८.००	८,४५०.००	
iv.	3"	"	१४,१०२.००	१४,१०२.००	१०,५००.००	
v.	4"	"	१८,७९८.००	१८,७९८.००	१४,०००.००	
v.	5"	"	२८,५६९.००	२८,५६९.००	१७,५००.००	
v.	6"	"	३४,२८७.००	३४,२८७.००	२९,०००.००	
v.	8"	"	४८,००१.००	४८,००१.००	३०,०००.००	
Brass Ferrule Cock			-	-	-	
i.	½ "	गोटा	१,५५०.००	१,५५०.००	६००.००	
ii.	¾"	"	२,०२०.००	२,०२०.००	१,३७२.००	
iii.	1"	"	२,९६५.००	२,९६५.००	२,०१५.००	
Ball valve			-	-	-	
a)	15mm	गोटा	५२९.००	५२९.००	५१४.००	
b)	20 mm	"	६७०.००	६७०.००	६५०.००	
c)	25 mm	"	८९८.००	८९८.००	८७२.००	
d)	32 mm	"	१,०८३.००	१,०८३.००	१,०५१.००	
e)	40 mm	"	२,०९६.००	२,०९६.००	२,०३५.००	
f)	50 mm	"	३,४४१.००	३,४४१.००	३,३४१.००	
31.0	Supplying of Rec ring for construction of well		-	-	-	
31.1	Ring		-	-	-	
i)	28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	६१५.००	६१५.००	६१५.००	
ii)	36" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	७६२.००	७६२.००	७६२.००	
iii)	42" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	८८६.००	८८६.००	८८६.००	
iv)	48" dia. R.C.C. ring 20 cm ht ,5 cm thick	"	१,१७३.००	१,१७३.००	१,१७३.००	
31.2	Supplying & fixing of metal frame and Rec cover		-	-	-	
i)	28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	१,८५८.००	१,८५८.००	१,८५८.००	
i)	36" dia. 60m thick R.C.C. ring cover with metal frame	"	२,४६०.००	२,४६०.००	२,४६०.००	
i)	42" dia. 60m thick R.C.C. ring cover with metal frame	"	२,६९९.००	२,६९९.००	२,६९९.००	
i)	48" dia. 60m thick R.C.C. ring cover with metal frame	"	३,२२४.००	३,२२४.००	३,२२४.००	

[Handwritten signatures and initials]

सि.नं.	विमान सामग्रीहरूको विवरण	एकाई	मु.व.क. (VAT) सहित (रु.) को दर (रु.)			कैफियत
			आ.व.			
			२०७३/०७८	२०७८/०७९	२०७९/०८०	
32.0	ईनार खनको सागी R.C.C. रिङ्ग आपूर्ति गरि माटी खाने ,आवश्यक फील्डर सामग्री राख्ने तथा जहान सयतको सबै कार्यहरू (२० फीट देखि २५फीट सम्म को गहिराइमा उक्कन बाहेक)		-	-	-	
	i) 28" dia. R.C.C. Ring	र.दी	४,२५३.००	४,२५३.००	४,२५३.००	
	ii) 36" dia. R.C.C. Ring	"	५,३९७.००	५,३९७.००	५,३९७.००	
	iii) 42" dia. R.C.C. Ring	"	६,२८२.००	६,२८२.००	६,२८२.००	
	iv) 48" dia. R.C.C. Ring	"	७,७५०.००	७,७५०.००	७,७५०.००	
32.2	२५ फीट देखि माथीको गहिराइ भएमा		-	-	-	
	ईनार खनको सागी R.C.C. रिङ्ग आपूर्ति गरि माटी खाने ,आवश्यक फील्डर सामग्री राख्ने तथा जहान सयतको सबै कार्यहरू (२५ फीट देखि माथीको गहिराइ भएमा मात्र उक्कन बाहेक)		-	-	-	
	i) 28" dia. R.C.C. Ring	र.दी	५,७०७.००	५,७०७.००	५,७०७.००	
	ii) 36" dia. R.C.C. Ring	"	९,६५०.००	९,६५०.००	९,६५०.००	
	iii) 42" dia. R.C.C. Ring	"	११,६८१.००	११,६८१.००	११,६८१.००	
	iv) 48" dia. R.C.C. Ring	"	१४,०३३.००	१४,०३३.००	१४,०३३.००	
33.0	Sanitary Tools		-	-	-	
a	Adjustable spanner		-	-	-	
	10"	Pc	२५५.००	२५५.००	२५५.००	
	12"	Pc	४८२.००	४८२.००	४८२.००	
	15"	Pc	१,३८८.००	१,३८८.००	१,३८८.००	
	18"	Pc	१,६४३.००	१,६४३.००	१,६४३.००	
b	Blow Torch		-	-	-	
	1/2 pint	Pc	१,४३३.००	१,४३३.००	१,४३३.००	
	1 pint	Pc	१,७६७.००	१,७६७.००	१,७६७.००	
		Pc	७९.००	७९.००	७९.००	
c	Building Trowel		-	-	-	
d	Chain Pipe wrench		-	-	-	
	50mm	Pc	१,६४३.००	१,६४३.००	१,६४३.००	
	75mm	Pc	१,९५४.००	१,९५४.००	१,९५४.००	
	100mm	Pc	२,२९४.००	२,२९४.००	२,२९४.००	
	150mm	Pc	३,२२९.००	३,२२९.००	३,२२९.००	
	200mm	Pc	५,४९५.००	५,४९५.००	५,४९५.००	
e	Chain Pulley in Ton		-	-	-	
	3 ton	Pc	१७,५६२.००	१७,५६२.००	१७,५६२.००	
	5 ton	Pc	२९,००५.००	२९,००५.००	२९,००५.००	
f	Stone Chisel 1"x12"	Pc	३६८.००	३६८.००	३६८.००	
g	Die teeth oil with cane (250 ml size)	Pc	२८३.००	२८३.००	२८३.००	
h	Smooth steel file half round		-	-	-	
	8"	Pc	५३८.००	५३८.००	५३८.००	
	10"	Pc	१,०३९.००	१,०३९.००	१,०३९.००	
i	Flat file 10"	Pc	५३८.००	५३८.००	५३८.००	
10.0	Hacksaw Blade		-	-	-	

Signature

Signature

Signature

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)वाहेक			कैफियत
			आ.व.			
			०७७/०७८	०७८/०७९	०७९/०८०	
1	Power CABLE Multi Strand Copper Conductor (3 core/ Unarmored)					
	2.5 sq. mm	rm	१७८.५०	१७८.५०	१७८.५०	
	4 sq. mm	rm	२५२.००	२५२.००	२५२.००	
	6 sq. mm	rm	३३६.००	३३६.००	३३६.००	
	10 sq. mm	rm	४४९.००	४४९.००	४४९.००	
	16 sq. mm	rm	६४०.५०	६४०.५०	६४०.५०	
	25 sq. mm	rm	१,००८.००	१,००८.००	१,००८.००	
	35 sq. mm	rm	१,१७६.००	१,१७६.००	१,१७६.००	
	50 sq. mm	rm	१,८४८.००	१,८४८.००	१,८४८.००	
	70 sq. mm	rm	२,६१४.५०	२,६१४.५०	२,६१४.५०	
	95 sq. mm	rm	३,६१२.००	३,६१२.००	३,६१२.००	
	120 sq. mm	rm	४,५५७.००	४,५५७.००	४,५५७.००	
	150 sq. mm	rm	५,६२८.००	५,६२८.००	५,६२८.००	
	185 sq. mm	rm	६,९६९.५०	६,९६९.५०	६,९६९.५०	
	240 sq. mm	rm	९,०८२.५०	९,०८२.५०	९,०८२.५०	
2	Power CABLE Multi Strand Copper Conductor (3.5 core/ Unarmored)					
	25 sq. mm	rm	१,२१८.००	१,२१८.००	१,२१८.००	
	35 sq. mm	rm	१,५७५.००	१,५७५.००	१,५७५.००	
	50 sq. mm	rm	२,१९४.५०	२,१९४.५०	२,१९४.५०	
	70 sq. mm	rm	३,०८७.००	३,०८७.००	३,०८७.००	
	95 sq. mm	rm	४,२५२.५०	४,२५२.५०	४,२५२.५०	
	120 sq. mm	rm	५,४८९.००	५,४८९.००	५,४८९.००	
	150 sq. mm	rm	६,५६२.५०	६,५६२.५०	६,५६२.५०	
	185 sq. mm	rm	८,२४२.५०	८,२४२.५०	८,२४२.५०	
	240 sq. mm	rm	१०,७१०.००	१०,७१०.००	१०,७१०.००	
3	Submersible FLAT CABLE 3 CORE Multi Strand Copper Conductor					
	1.5 sq. mm	rm	१३१.२५	१३१.२५	१३१.२५	
	2.5 sq. mm	rm	१८३.७५	१८३.७५	१८३.७५	
	4 sq. mm	rm	२८८.७५	२८८.७५	२८८.७५	
	6 sq. mm	rm	३९३.७५	३९३.७५	३९३.७५	
	10 sq. mm	rm	६०३.७५	६०३.७५	६०३.७५	
	16 sq. mm	rm	९१८.७५	९१८.७५	९१८.७५	
	25 sq. mm	rm	१,३१२.५०	१,३१२.५०	१,३१२.५०	

[Handwritten signatures and marks]

सि.नं.	निर्माण सामग्रीको विवरण		एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
				आ.व.			
				२०७७/०७८	०७८/०७९	०७९/०८०	
PUMPS & CONTROL							
	PUMPS						
1.00	Open well Submersible Motor Pump with 50 Hz, 3 phase, motor star delta connection. Pumping Discharge (Q)-1255 LPM @ Delivery of Total Head (H)-44 m; at best efficiency	M-1055/2	set	३५२,८००.००	३५२,८००.००	३५२,८००.००	
2.00	Bore well Submersible Motor Pump with 50 Hz, 3 phase, motor star delta connection. 8" dia, Pumping Discharge (Q)-1255 LPM @ Delivery of Total Head (H)-261m; at efficiency 75-80%	K300A/22	set	५३५,९९९.५०	५३५,९९९.५०	५३५,९९९.५०	
3.00	Bore well Submersible Motor Pump with 50 Hz, 3 phase, motor star delta connection. 8" dia, Pumping Discharge (Q)-1255 LPM @ Delivery of Total Head (H)-188m; at efficiency 75-80%	K300A/21	set	३८२,९७९.६५	३८२,९७९.६५	३८२,९७९.६५	
4.00	Bore well Submersible Motor Pump with 50 Hz, 3 phase, motor star delta connection. 8" dia, Pumping Discharge (Q)-1255 LPM @ Delivery of Total Head (H)-255m; at efficiency 75-80%	K300A/21	set	५३५,९९९.५०	५३५,९९९.५०	५३५,९९९.५०	
5.00	Bore well Submersible Motor Pump with 50 Hz, 3 phase, motor star delta connection. 8" dia, Pumping Discharge (Q)-1255 LPM @ Delivery of Total Head (H)-220m; at efficiency 75-80%	K300A/21	set	४८४,८०३.९०	४८४,८०३.९०	४८४,८०३.९०	
6.00	Bore well Submersible Motor Pump with 50 Hz, 3 phase, motor star delta connection. 8" dia, Pumping Discharge (Q)-1200 LPM @ Delivery of Total Head (H)-191m; at efficiency 75-80%	K60A/28	set	३८२,९७९.६५	३८२,९७९.६५	३८२,९७९.६५	
	Control Panel						
1.00	Sob-tech Control Panel, 3phase, 380-415 volt, 50Hz(in line connection for 3/5HP motor/pumps) DoL CONECTION with MCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Dry Run Protection. (Relay Range-3-15 Amp)		set	९६,०६५.००	९६,०६५.००	९६,०६५.००	
2.00	Sob-tech Control Panel, 3phase, 380-415 volt, 50Hz(in line connection for 7.5 HP motor/pumps) DoL CONECTION with MCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Dry Run Protection. (Relay Range-15-35 Amp)		set	९७,९५५.००	९७,९५५.००	९७,९५५.००	
3.00	Sob-tech Control Panel, 3phase, 380-415 volt, 50Hz(in line connection for 10 HP motor/pumps) DoL CONECTION with MCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Dry Run Protection. (Relay Range-15-35 Amp)		set	९८,९६५.००	९८,९६५.००	९८,९६५.००	

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			२०७७/०७८	०७८/०७९	०७९/०८०	
10.00	Soft-tech Control Panel, 3phase, 380-415 volt, 50Hz(in line connection for 40 HP motor/pumps) STAR DELTA CONECTION with MCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Dry Run Protection. (Relay Range-60-90 Amp)	set	७२,४५०.००	७२,४५०.००	७२,४५०.००	
11.00	Soft-Starter Control Panel, 3phase, 380-415 volt, 50Hz(in line connection for 25/30 HP/ 42 Amp motor/pumps) with MCCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Siemens grey shade- RAL 7035	set	१९९,६८७.९५	१९९,६८७.९५	१९९,६८७.९५	
12.00	Soft-Starter Control Panel, 3phase, 380-415 volt, 50Hz(in line connection for 50 HP/80 Amp motor/pumps) with MCCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Siemens grey shade- RAL 7035	set	२८३,५७३.५०	२८३,५७३.५०	२८३,५७३.५०	
13.00	Soft-Starter Control Panel, 3phase, 380-415 volt, 50Hz(in line connection for 60 HP/100 Amp motor/pumps) with MCCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Siemens grey shade- RAL 7035	set	३४०,४९०.००	३४०,४९०.००	३४०,४९०.००	
14.00	Soft-Starter Control Panel, 3phase, 380-415 volt, 50Hz(in line connection for 75 HP/130 Amp motor/pumps) with MCCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Siemens grey shade- RAL 7035	set	४३७,३२५.००	४३७,३२५.००	४३७,३२५.००	
15.00	Soft-Starter Control Panel, 3phase, 380-415 volt, 50Hz(in line connection for 100 HP/169 Amp motor/pumps) with MCCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Siemens grey shade- RAL 7035	set	५७९,०९२.००	५७९,०९२.००	५७९,०९२.००	
16.00	Soft-Starter Control Panel, 3phase, 380-415 volt, 50Hz(in line connection for 125 HP/200-210 Amp motor/pumps) with MCCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Siemens grey shade- RAL 7035	set	५९३,९८५.००	५९३,९८५.००	५९३,९८५.००	

[Handwritten signatures and initials]

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			२०७७/०७८	०७८/०७९	०७९/०८०	
	DB & CONECTOR BOX					
1	700MM x 600MM x 200MM Size <u>Main Distribution Panel Board for up to 10/15 HP Pump</u> Fabricated out of 16swg m/s sheet metal, Separate compartment for Incoming & Outgoing Feeder, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with 25A FP Change Over switch Incoming, 50A, 4 pole CONECTOR, 3 set of Volt/ Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe.	set	२३,१००.००	२३,१००.००	२३,१००.००	
2	700MM x 600MM x 200MM Size <u>Main Distribution Panel Board for up to 20/25 HP Pump</u> Fabricated out of 16swg m/s sheet metal, Separate compartment for Incoming & Outgoing Feeder, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with 45A FP Change Over switch Incoming, 100A TPNE Copper Bus bar, 3 set of Volt/ Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe.	set	५३,८६५.००	५३,८६५.००	५३,८६५.००	
3	700MM x 600MM x 200MM Size <u>Main Distribution Panel Board for up to 30/40/50 HP Pump</u> Fabricated out of 16swg m/s sheet metal, Separate compartment for Incoming & Outgoing Feeder, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with 75A FP Change Over switch Incoming, 150A TPNE Copper Bus bar, 3 set of Volt/ Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe.	set	६८,७७५.००	६८,७७५.००	६८,७७५.००	
4	700MM x 600MM x 200MM Size <u>Main Distribution Panel Board for up to 60/70 HP Pump</u> Fabricated out of 16swg m/s sheet metal, Separate compartment for Incoming & Outgoing Feeder, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with 100A FP Change Over switch Incoming, 200A TPNE Copper Bus bar, 3 set of Volt/ Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe.	set	९४,७९०.००	९४,७९०.००	९४,७९०.००	

[Handwritten signatures and initials]

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			२०७७/०७८	०७८/०७९	०७९/०८०	
5	1300MM x 1100MM x 300MM Size <u>Main Distribution Panel Board for 75/100 HP Pump</u> Fabricated out of 16swg m/s sheet metal, Separate compartment for Incoming & Outgoing Feeder, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with 300A FP Change Over switch Incoming, 400A TPNE Copper Bus bar, 3 set of Volt/ Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe.	set	१२७,०५०.००	१२७,०५०.००	१२७,०५०.००	
6	1400MM x 1200MM x 400MM Size <u>Main Distribution Panel Board for 150/180/250 HP Pump</u> Fabricated out of 16swg m/s sheet metal, Separate compartment for Incoming & Outgoing Feeder, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with 600A FP Change Over switch Incoming, 800A TPNE Copper Bus bar, 3 set of Volt/ Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe.	set	१७२,७४०.७५	१७२,७४०.७५	१७२,७४०.७५	
7			-	-	-	
8	600MM x 400MM x 200MM Size <u>Outdoor Terminal Bus bar Board</u> Fabricated out of 16swg m/s sheet metal, Suitable Space for Connection of Incoming & Outgoing Cable, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with followings for <u>10/15 HP Pump</u> with 50A, 4 pole CONECTOR & wiring materials, 1 set of Enclosure with wiring and cable shoe.	set	८,४००.००	८,४००.००	८,४००.००	
9	600MM x 500MM x 200MM Size <u>Outdoor Terminal Bus bar Board</u> Fabricated out of 16swg m/s sheet metal, Suitable Space for Connection of Incoming & Outgoing Cable, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with followings for <u>20/25 HP Pump</u> with 75A, 4 pole CONECTOR & wiring materials, 1 set of Enclosure with wiring and cable shoe.	set	९,४५०.००	९,४५०.००	९,४५०.००	
10	700MM x 600MM x 200MM Size <u>Outdoor Terminal Bus bar Board</u> Fabricated out of 16swg m/s sheet metal, Suitable Space for Connection of Incoming & Outgoing Cable, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with followings for <u>30/40/50 HP Pump</u> with 150A TPNE Copper Bus bar & wiring materials, 1 set of Enclosure with wiring and cable shoe.	set	१५,२२५.००	१५,२२५.००	१५,२२५.००	

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			२०७७/०७८	०७८/०७९	०७९/०८०	
11	700MM x 600MM x 200MM Size <u>Outdoor Terminal Bus bar Board</u> Fabricated out of 16swg m/s sheet metal, Suitable Space for Connection of Incoming & Outgoing Cable, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with followings for <u>60/70 HP Pump</u> with 200A TPNE Copper Bus bar & wiring materials, 1 set of Enclosure with wiring and cable shoe.	set	१७,३२५.००	१७,३२५.००	१७,३२५.००	
12	700MM x 600MM x 200MM Size <u>Outdoor Terminal Bus bar Board</u> Fabricated out of 16swg m/s sheet metal, Suitable Space for Connection of Incoming & Outgoing Cable, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with followings for <u>75/100 HP Pump</u> with 400A TPNE Copper Bus bar & wiring materials, 1 set of Enclosure with wiring and cable shoe.	set	१९,४२५.००	१९,४२५.००	१९,४२५.००	
13	800MM x 600MM x 200MM Size <u>Outdoor Terminal Bus bar Board</u> Fabricated out of 16swg m/s sheet metal, Suitable Space for Connection of Incoming & Outgoing Cable, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with followings for <u>150/180/250 HP Pump</u> with 800A TPNE Copper Bus bar & wiring materials, 1 set of Enclosure with wiring and cable shoe.	set	३०,९७५.००	३०,९७५.००	३०,९७५.००	


Signature

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)वाहेक			कैफियत
			आ.व.			
			०७७/०७८	०७८/०७९	०७९/०८०	
2	Electrofusion (PE) HDPE Fittings					
a.	Electrofusion Coupler					
	20mm	nos	१०३.९५	१०३.९५	१०३.९५	
	25mm	nos	१२९.१५	१२९.१५	१२९.१५	
	32mm	nos	१३८.६०	१३८.६०	१३८.६०	
	40mm	nos	२६९.८५	२६९.८५	२६९.८५	
	50mm	nos	२५७.२५	२५७.२५	२५७.२५	
	63mm	nos	२६५.६५	२६५.६५	२६५.६५	
	75mm	nos	४०९.५०	४०९.५०	४०९.५०	
	90mm	nos	४७७.७५	४७७.७५	४७७.७५	
	110mm	nos	६४२.६०	६४२.६०	६४२.६०	
	125mm	nos	८६४.१५	८६४.१५	८६४.१५	
	140mm	nos	१,३३६.६५	१,३३६.६५	१,३३६.६५	
	160mm	nos	१,५०४.६५	१,५०४.६५	१,५०४.६५	
	180mm	nos	२,२५७.५०	२,२५७.५०	२,२५७.५०	
	200mm	nos	२,६७४.३५	२,६७४.३५	२,६७४.३५	
	225mm	nos	३,६७८.१५	३,६७८.१५	३,६७८.१५	
	250mm	nos	५,८५०.६०	५,८५०.६०	५,८५०.६०	
	280mm	nos	७,०२०.३०	७,०२०.३०	७,०२०.३०	
b	Electrofusion Reducer					
	50mm ×40mm	nos	२१९.४५	२१९.४५	२१९.४५	
	63mm ×50mm	nos	२५६.२०	२५६.२०	२५६.२०	
	75mm ×63mm	nos	५०९.२५	५०९.२५	५०९.२५	
	90mm ×75mm	nos	६३३.१५	६३३.१५	६३३.१५	
	90mm ×63mm	nos	६९४.०५	६९४.०५	६९४.०५	
	90mm ×50mm	nos	९५०.२५	९५०.२५	९५०.२५	
	110mm ×63mm	nos	८३५.८०	८३५.८०	८३५.८०	
	110mm ×75mm	nos	१,५३६.१५	१,५३६.१५	१,५३६.१५	
	110mm ×90mm	nos	९०४.०५	९०४.०५	९०४.०५	
	125mm ×63mm	nos	१,०७९.४०	१,०७९.४०	१,०७९.४०	
	125mm ×75mm	nos	१,७९५.५०	१,७९५.५०	१,७९५.५०	
	125mm ×90mm	nos	१,९६२.३५	१,९६२.३५	१,९६२.३५	
	125mm ×110mm	nos	९०९.३०	९०९.३०	९०९.३०	
	140mm ×90mm	nos	३,५९८.३५	३,५९८.३५	३,५९८.३५	
	140mm ×110mm	nos	४,२१३.६५	४,२१३.६५	४,२१३.६५	
	140mm ×125mm	nos	४,६८६.१५	४,६८६.१५	४,६८६.१५	
	160mm ×90mm	nos	४,५७९.०५	४,५७९.०५	४,५७९.०५	

[Handwritten signatures and marks]

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			०७७/०७८	०७८/०७९	०७९/०८०	
	160mm × 110mm	nos	४,८६०.४५	४,८६०.४५	४,८६०.४५	
	160mm × 125mm	nos	५,४१६.९५	५,४१६.९५	५,४१६.९५	
	160mm × 140mm	nos	६,१३७.२५	६,१३७.२५	६,१३७.२५	
	180mm × 90mm	nos	६,४९५.३०	६,४९५.३०	६,४९५.३०	
	180mm × 125mm	nos	६,७७५.६५	६,७७५.६५	६,७७५.६५	
	180mm × 140mm	nos	७,६८७.०५	७,६८७.०५	७,६८७.०५	
	180mm × 160mm	nos	८,५३३.३५	८,५३३.३५	८,५३३.३५	
	200mm × 110mm	nos	७,०६९.६५	७,०६९.६५	७,०६९.६५	
	200mm × 140mm	nos	९,१०१.४०	९,१०१.४०	९,१०१.४०	
	200mm × 160mm	nos	९,५६४.४५	९,५६४.४५	९,५६४.४५	
	200mm × 180mm	nos	११,१७२.००	११,१७२.००	११,१७२.००	
	225mm × 90mm	nos	१०,२८५.८०	१०,२८५.८०	१०,२८५.८०	
	225mm × 110mm	nos	१०,०२४.३५	१०,०२४.३५	१०,०२४.३५	
	225mm × 225mm	nos	१५,७६४.७०	१५,७६४.७०	१५,७६४.७०	
	225mm × 160mm	nos	११,८५२.४०	११,८५२.४०	११,८५२.४०	
	225mm × 180mm	nos	१३,७३६.१०	१३,७३६.१०	१३,७३६.१०	
	225mm × 200mm	nos	१५,१०३.२०	१५,१०३.२०	१५,१०३.२०	
	250mm × 160mm	nos	१५,१३५.७५	१५,१३५.७५	१५,१३५.७५	
	225mm × 180mm	nos	१७,४९८.२५	१७,४९८.२५	१७,४९८.२५	
	225mm × 200mm	nos	१८,४४४.३०	१८,४४४.३०	१८,४४४.३०	
	225mm × 225mm	nos	२१,२८८.७५	२१,२८८.७५	२१,२८८.७५	
	280mm × 180mm	nos	२०,८६४.५५	२०,८६४.५५	२०,८६४.५५	
	280mm × 200mm	nos	२२,२८६.२५	२२,२८६.२५	२२,२८६.२५	
	280mm × 225mm	nos	२४,३६३.१५	२४,३६३.१५	२४,३६३.१५	
	280mm × 250mm	nos	२९,५०६.०५	२९,५०६.०५	२९,५०६.०५	
c	Electrolution Elbow 45°		-	-	-	
	50mm	nos	३१९.२०	३१९.२०	३१९.२०	
	63mm	nos	४६९.३५	४६९.३५	४६९.३५	
	75mm	nos	१,२२८.५०	१,२२८.५०	१,२२८.५०	
	90mm	nos	१,०५७.३५	१,०५७.३५	१,०५७.३५	
	110mm	nos	३,१६३.६५	३,१६३.६५	३,१६३.६५	
	125mm	nos	४,३६८.००	४,३६८.००	४,३६८.००	
	140mm	nos	५,९०४.१५	५,९०४.१५	५,९०४.१५	
	160mm	nos	७,६०८.३०	७,६०८.३०	७,६०८.३०	
	180mm	nos	१०,९१५.८०	१०,९१५.८०	१०,९१५.८०	
	200mm	nos	१३,७४३.४५	१३,७४३.४५	१३,७४३.४५	
	225mm	nos	१८,७७१.९०	१८,७७१.९०	१८,७७१.९०	

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			०७७/०७८	०७८/०७९	०७९/०८०	
	140mm	nos	८,००१.००	८,००१.००	८,००१.००	
	160mm	nos	११,०००.८५	११,०००.८५	११,०००.८५	
	180mm	nos	१५,५६५.२०	१५,५६५.२०	१५,५६५.२०	
	200mm	nos	१९,६८५.४०	१९,६८५.४०	१९,६८५.४०	
	225mm	nos	२६,७९०.७५	२६,७९०.७५	२६,७९०.७५	
	250mm	nos	३८,८१३.२५	३८,८१३.२५	३८,८१३.२५	
	280mm	nos	५५,१८२.७५	५५,१८२.७५	५५,१८२.७५	
f	Electrofussion Saddle Clamp		-	-	-	
	50mm×40mm	nos	७६४.४०	७६४.४०	७६४.४०	
	75-225mm×50mm	nos	९९९.६०	९९९.६०	९९९.६०	
g	HDPE Adopter PN 16		-	-	-	
	50mm	nos	२८३.५०	२८३.५०	२८३.५०	
	63mm	nos	३५७.००	३५७.००	३५७.००	
	75mm	nos	५०४.००	५०४.००	५०४.००	
	90mm	nos	६५१.००	६५१.००	६५१.००	
	110mm	nos	९०३.००	९०३.००	९०३.००	
	125mm	nos	९९७.५०	९९७.५०	९९७.५०	
	140mm	nos	१,३६५.००	१,३६५.००	१,३६५.००	
	160mm	nos	१,९६३.५०	१,९६३.५०	१,९६३.५०	
	180mm	nos	२,८१४.००	२,८१४.००	२,८१४.००	
	200mm	nos	३,०७६.५०	३,०७६.५०	३,०७६.५०	
	225mm	nos	३,९९०.००	३,९९०.००	३,९९०.००	
	250mm	nos	५,२९२.००	५,२९२.००	५,२९२.००	
	280mm	nos	७,३१८.५०	७,३१८.५०	७,३१८.५०	



सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			२०७७/०७८	०७८/०७९	०७९/०८०	
	DN 100	nos	७७९.७५	७७९.७५	७७९.७५	
	DN 125	nos	८८७.२५	८८७.२५	८८७.२५	
	DN 150	nos	१,०५०.००	१,०५०.००	१,०५०.००	
	DN 200	nos	१,७०६.२५	१,७०६.२५	१,७०६.२५	
	DN 250	nos	२,५६२.००	२,५६२.००	२,५६२.००	
	DN 300	nos	३,०७९.२५	३,०७९.२५	३,०७९.२५	
	DN 350	nos	४,२३९.५०	४,२३९.५०	४,२३९.५०	
5	MS Flange, ISOD 22mm thick					
	DN 40	nos	८४०.००	८४०.००	८४०.००	
	DN 50	nos	९०८.२५	९०८.२५	९०८.२५	
	DN 65	nos	१,१५५.००	१,१५५.००	१,१५५.००	
	DN 80	nos	१,३९२.५०	१,३९२.५०	१,३९२.५०	
	DN 100	nos	१,५७५.००	१,५७५.००	१,५७५.००	
	DN 125	nos	१,८९०.००	१,८९०.००	१,८९०.००	
	DN 150	nos	२,४९५.००	२,४९५.००	२,४९५.००	
	DN 200	nos	३,९५३.२५	३,९५३.२५	३,९५३.२५	
	DN 250	nos	५,९६०.७५	५,९६०.७५	५,९६०.७५	
	DN 300	nos	७,५९६.७५	७,५९६.७५	७,५९६.७५	
	DN 350	nos	८,५०५.००	८,५०५.००	८,५०५.००	
6	MS Blind Flange, ISOD 22mm thick					
	DN 40	nos	१,०९२.००	१,०९२.००	१,०९२.००	
	DN 50	nos	१,१८९.२५	१,१८९.२५	१,१८९.२५	
	DN 65	nos	१,५०९.५०	१,५०९.५०	१,५०९.५०	
	DN 80	nos	१,७०६.२५	१,७०६.२५	१,७०६.२५	
	DN 100	nos	२,०४७.५०	२,०४७.५०	२,०४७.५०	
	DN 125	nos	२,४५७.००	२,४५७.००	२,४५७.००	
	DN 150	nos	३,१३९.५०	३,१३९.५०	३,१३९.५०	
	DN 200	nos	५,१४५.००	५,१४५.००	५,१४५.००	
	DN 250	nos	६,७२०.००	६,७२०.००	६,७२०.००	
	DN 300	nos	९,८७०.००	९,८७०.००	९,८७०.००	
	DN 350	nos	११,०५६.५०	११,०५६.५०	११,०५६.५०	
7	Seamless, ASTM schedule 40 Steel 90° BEND, size dia					
	2"	nos	२८८.७५	२८८.७५	२८८.७५	
	2 1/2"	nos	५०४.००	५०४.००	५०४.००	
	3"	nos	७९४.००	७९४.००	७९४.००	
	4"	nos	१,२३९.००	१,२३९.००	१,२३९.००	
	5"	nos	२,२०५.००	२,२०५.००	२,२०५.००	
	6"	nos	३,०४५.००	३,०४५.००	३,०४५.००	
	8"	nos	५,७७५.००	५,७७५.००	५,७७५.००	
	10"	nos	११,४४५.००	११,४४५.००	११,४४५.००	
	12"	nos	१६,२७५.००	१६,२७५.००	१६,२७५.००	
	14"	nos	२७,८२५.००	२७,८२५.००	२७,८२५.००	
8	Seamless, ASTM schedule 40 Steel 45° BEND, size dia					
	2"	nos	२९९.२५	२९९.२५	२९९.२५	
	2 1/2"	nos	५२५.००	५२५.००	५२५.००	

2

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			०७७/०७८	०७८/०७९	०७९/०८०	
1	2" DT joints Metal Heavy Class	nos	२,९५०.००	२,९५०.००	२,९५०.००	
2	2" DT joints UPVC	nos	१,८५०.००	१,८५०.००	१,८५०.००	
3	3" DT joints UPVC	nos	२,८००.००	२,८००.००	२,८००.००	
4	4" DT joints UPVC	nos	३,०००.००	३,०००.००	३,०००.००	
5	1.5" DT joints UPVC	nos	१,२५०.००	१,२५०.००	१,२५०.००	

[Handwritten signatures and initials]